

**ANNAMACHARYA INSTITUTE OF TECHNOLOGY AND SCIENCES::
RAJAMPET
(An Autonomous Institution)**

DEPARTMENT OF MECHANICAL ENGINEERING

LECTURE NOTES

**SUPPLYCHAIN MANAGEMENT
[20A37DT]**

Prepared by
Mr.SMD.Saleemuddin
Assistant Professor, MED

SUPPLY CHAIN MANAGEMENT

20A37DT

Title of the Course Supply chain Management
Category PEC
Course Code 20A37DT

Year IV B. Tech **Semester** I Semester **Branch** : ME

Lecture Hours	Tutorial Hours	Practice Hours	Credits
3	0	0	3

Course Objectives:

- To get the knowledge on basic concepts of supply chain management, decision phases, process view and its strategies.
- To learn the concepts of distribution networks and supply chain network
- To acquire the skill of planning, managing safety stock in a supply chain, transportation.
- To know the concept of sourcing and pricing of products.
- To get the awareness on Bullwhip effect and Technology in the Supply Chain

Unit 1 Introduction to SCM

10

Fundamentals of supply chain, Objective of supply chain and importance, concepts and definitions, Supply chain stages and decision phases, process view of a supply chain. Supply chain flows. Competitive and supply chain strategies, strategic fit, Supply chain Drivers, Examples of supply chains

Learning Outcomes: At the end of the unit, the student will be able to:

- Discuss the goal of a supply chain and explain the impact of supply chain decisions on the Success of a firm. (L2)
- Identify the three key supply chain decision phases and explain the significance of each one, and describe the cycle and push/pull views of a supply chain. (L2)
- Describe how a company achieves strategic fit between its supply chain strategy and its competitive Strategy. (L2)

Unit 2 Designing the Supply Chain Network:

08

Distribution Networks (DN) - Role, Factors, Design of Distribution Networking, e-Business and the Distribution Network.

Supply Chain Network (SCN) - Role, Factors, Framework for Design Decisions. Models for facility location and capacity allocation.

Learning Outcomes: At the end of the unit, the student will be able to:

- Identify the key factors to be considered when designing a distribution network. (L2)
- Discuss the strengths and weaknesses of various distribution options. (L2)
- Understand how e-business has affected the design of distribution networks in different Industries. (L2)

Unit 3 Planning and Managing Inventory & Transportation Networks in a SCM:

10

The Role of cycle Inventory in a Supply Chain, Managing Multi-Echelon Cycle Inventory, Safety inventory determination. Optimum level of product availability, Managerial levers to improve supply chain profitability.

Transportation: Role of Transportation, Factors affecting transportation decisions. Modes of

Transportation and their performance characteristics.

Learning Outcomes: At the end of the unit, the student will be able to:

- Balance the appropriate costs to choose the optimal amount of cycle inventory in a supply chain. (L2)
- Utilize managerial levers available to lower safety inventory and improve product availability. (L3)
- Understand the role of transportation in a supply chain, and evaluate the strengths and weaknesses of different modes of transportation. (L2)

Unit 4 Sourcing Decisions and Revenue Management in Supply Chain:

08

Role of sourcing, supplier - scoring & assessment, selection and contracts. Design collaboration, procurement, source planning and analysis.

Pricing and Revenue Management in SCM: Role of pricing and Revenue Management in the Supply Chain.

Learning Outcomes: At the end of the unit, the student will be able to:

- Understand the role of sourcing in a supply chain, and Discuss factors that affect the decision to outsource a supply chain function. (L2)
- Describe the impact of different contracts on supplier performance and information distortion. (L2)
- Understand the role of pricing and revenue management in a supply chain. (L2)

Unit 5 Bullwhip effect & Technology in the Supply Chain:

10

Co-ordination in a supply chain - Bullwhip effect. The Effect on performance of Lack of co-ordination, Obstacles to coordination. Managerial levers to achieve co-ordination.

Technology in the Supply Chain: The Role of IT supply Chain, The Supply Chain IT Framework, CRM, Internal SCM, SRM. The role of E-Business in a supply chain.

Learning Outcomes: At the end of the unit, the student will be able to:

- Describe supply chain coordination, the bullwhip effect, causes and obstacles to coordination in a supply chain. (L2)
- Discuss managerial levers that help achieve coordination in a supply chain. (L2)
- Understand the major applications of supply chain information technology and the processes that they enable. (L2)

Prescribed Text Books:

1. Supply Chain Management-Strategy, Planning & Operation. Sunil Chopra & Peter Meindl, Pearson Edu. Asia, 2001, ISBN: 81-7808-272-1.
2. Supply Chain Redesign - Transforming Supply Chains into Integrated Value Systems. Robert B Handfield, Ernest L Nichols, Jr., Pearson Edu. Inc, 2002, ISBN: 81-297-0113-8.

Reference Books:

1. Modelling the Supply Chain. Jeremy F Shapiro, Duxbury; Thomson Learning, 2002, ISBN 0-534-37363.
2. Designing & Managing the Supply Chain. David Simchi Levi, Philip Kaminsky & Edith Simchi Levi; McGraw Hill. 2007. ISBN-10 : 9780070666986
3. Going Backwards Reverse Logistics Trends and Practices. Dr. Dale S. Rogers, Dr. Ronald S. Tibben- Lembke, University of Nevada, Reno, Center for Logistics Management. 1999. ISBN, 0967461901, 9780967461908
4. Supply chain logistics management. Donald J. Bowersox; Tata McGraw - Hill, 2008, ISBN: 978-0-07- 066703-7

Designing The supply chain network.

The Role of distribution in the supply chain:-

- The Distribution refers to the steps taken to move and store a product from the supplier stage to a customer stage in the supply chain.
- Distribution occurs between every pair of stages in the supply chain. Raw materials and components are moved from suppliers to manufacturers, while finished products are moved from the manufacturer to the end customer.
- Distribution is a key driver of the overall profitability of a firm because it affects both the supply chain cost and the customer experience directly.
- Distribution-related costs make up about 10.5 percent of the U.S. economy and about 20% of the cost of manufacturing. For commodity products, distribution forms an even higher fraction of the product cost. In India, the outbound distribution cost of cement is about 30% of the cost of producing and selling cement.

ex:- Walmart and Seven-eleven, Japan, have built the success of their entire business around outstanding ~~and~~ distribution design and operation. In the case of Walmart, distribution allows the company to provide high availability levels of relatively common products at a very low cost. In the case of Seven-eleven Japan, effective distribution provides a very high level of customer responsiveness at a reasonable cost.

→ The appropriate distribution network can be used to achieve a variety of supply chain objectives, ranging from low cost to high ~~cost~~ ~~responsiveness~~ ~~responsiveness~~ responsiveness. As a result, companies in the same industry often select very different distribution networks.

- ex: 1. Dell distributes its PCs directly to end consumers, while other companies such as HP distribute through resellers. Dell customers wait several days to get a PC, while other customers can walk away with an HP PC from a reseller.
- Gateway opened gateway country stores, where customers could examine the products and have sales people help them.

Configure a P.C that suited their needs. Gateway however, chose to sell no products at the stores. All PC were shipped directly from the factory to the customer. In 2001, Gateway closed several of their stores because of their poor financial performance.

- Apple Computer, in contrast, has operated many retail stores where computers are sold.

P&G
Procter & Gamble

These PC companies have chosen different distribution models.

Factors influencing Distribution Network Design:-

~~The firm~~

at the highest level, performance of a distribution network should be evaluated along two dimensions.

1. customer needs that are met
2. cost of meeting customer needs.

① The firm must evaluate the impact on customer service and cost as it compares different distribution network options. The customer needs that are met influence the company's revenues, which along with cost decide the profitability of the delivery network.

customer service consists of many components, we focus on those measures that are influenced by the structure of the distribution network

- Response time.
- Product variety.
- Product availability.
- customer experience.
- Time to market.
- Order visibility.
- Returnability.

Response time is the amount of time it takes for a customer to receive an order.


Product variety is the number of different products/configurations that are offered by the distribution network.

Product availability is the probability of having a product in stock when a customer order arrives.

- customer experience includes the ease with which customers can place and receive orders, as well as the extent to which this experience is customized.
- Time to Market is the time it takes to bring a new product to the market.
- Order visibility is the ability of customers to track their orders from placement to delivery.
- Returnability is the ease with which a customer can return unsatisfactory merchandise and the ability of the network to handle such returns.
- customers always want the highest level of performance along all these dimensions. In practice, however, this is not the case.

The customer's ordering a book at Amazon.com are willing to wait longer than those who drive to a nearby Borders store to get the same book. In contrast customers can find a much larger variety of books at Amazon compared to the Borders store. Amazon customers trade off fast response times for high levels of variety.

- Firm target customers who can tolerate a long response time require only a few locations that may be far from the customer. These companies can focus on increasing the capacity of each location.
- In contrast, firms that target customers who value short response times need to locate facilities close to them. These firms must have many facilities, each with a low capacity. Thus, a decrease in the response time customer desire increase the number of facilities required in the network.



Changing the distribution network design affects the following supply chain costs. (Notice that these are four of the six supply chain drivers.)

1. Inventory
2. Transportation
3. Facilities and handling
4. Information

The other two drivers, sourcing and pricing, also affect the distribution system.

⇒ Inventory

→ As the number of facilities in a supply chain increases, the inventory and resulting inventory cost will increase.




fig: Relation b/w No. of facilities and inventory cost.

→ To decrease inventory costs, firms try to consolidate and limit the number of facilities in their supply chain network.

Ex: Amazon is able to turn its inventory 12 times a year, whereas Borders with about 400 facilities, achieved only about two turns/year.

→ Transportation:

→ Inbound transportation costs are the costs incurred in bringing materials into a facility.

→ Outbound transportation costs are the costs of sending material out of a facility.


→ Outbound transportation cost/unit tend to be higher than inbound costs because inbound lot sizes are typically larger.

Ex:- The Amazon warehouse full truckload shipments of books inbound side, but ships out small packets with only a few books/customer on the outbound side.

Increasing the number of warehouse locations decreases the average outbound distance to the customer, and makes out bound transportation distance a smaller fraction of the total distance traveled by the product.

Thus as long as inbound transportation economies of scale are maintained, ~~is~~

increasing the number of facilities decrease total ~~total~~ transportation cost,



→ if the number of facilities is increased to a point where inbound lot sizes are also very small and result in a significant loss of economies of scale in inbound transportation.

Increasing the number of facilities increases total transportation cost.

→ Facilities:


Facilities cost is decreased. as the number of facilities is reduced. because a consolidation of facilities allows a firm to exploit economies of scale.



Total logistics cost is the sum of inventory, transportation, and facilities cost for supply chain networks.

→ As the number of facilities increases, the total logistics costs first decrease and then increase.

Each firm should have at least the number of facilities that minimize total logistics cost.



Ex: Amazon has more than one warehouse primarily to reduce its logistics costs (and improve response time). As a firm wants to reduce the response time to its customers further, it may have to increase the number of facilities. Beyond the point that minimizes logistics cost, a firm should add facilities beyond the cost-minimizing point only if managers are confident that the increase in revenues because of better responsiveness is greater than the increase in costs because of additional facilities.

Design options for a distribution network:

When considering distribution between any two pair of stages, such as supplier to manufacturer, or even a service company serving its customers through a distribution network, many of the same options still apply.

Managers must take two key decisions when designing a distribution network.

1. Will product be delivered to the customer location or picked up from a preordained site?
2. Will product flow through an intermediary (or intermediate location)?


Based on the firm's industry and the answers to these two questions, one of six distinct distribution network designs may be used to move products from factory to customer, which are classified as follows.

1. Manufacturer storage with direct shipping
2. Manufacturer storage with direct shipping and in-transit merge
3. Distributor storage with package carrier delivery.
4. Distributor storage with last-mile delivery.
5. Manufacturer/distributor storage with customer pickup.
6. Retail storage with customer pickup.

1. Manufacturer storage with direct shipping

- Product is shipped directly from the manufacturer to the end customer, bypassing the retailer. ~~that~~
- This option is also referred to as drop shipping, with product delivered directly from the manufacturer to the customer. The retailer is independent of the manufacturer, carries no inventories. Information flows from the customer via the retailer, to the manufacturer, and product is shipped

directly from the manufacturer to the customer.



- The advantage of drop-shipping is the ability to centralize inventory at the manufacturer. A manufacturer can aggregate demand across all retailers that it supplies. As a result, the supply chain is able to provide a high level of product availability with low level of inventory.

* - Benefit of aggregation is achieved only if the manufacturer can allocate at least a portion of the available inventory across retailers on an as-needed basis.

* - Benefits from centralization are highest for high-value, low-demand items with unpredictable demand.

* - Drop-shipping also offers the manufacturer the opportunity to postpone customization until after a customer has placed an order. Postponement if implemented, further, lowers inventory by aggregating to the component level. Build-to-order companies such as Dell hold the inventory as a common component and postpone product customization. Thus lowering the level of inventory carried.

~~Postponement~~

Performance characteristics of manufacturer. Storage with

Direct shipping network :-

Cost factor.

Inventory ↓

Performance.

- low cost because of aggregation. Benefits of aggregation are highest for low-demand, high value items.
- Benefits are very large if product customization can be postponed at the manufacturer.

Facilities & handling Transportation:

- ~~High transportation costs because of aggregation. Some saving on handling costs, if manufacturer can manage small shipments or ship from production line.~~

Transportation: ↑ High transportation costs because of increased distance and disaggregate shipping.

Facilities & handling: ↓ low facilities costs because of aggregation. Some saving on handling costs if manufacturer can manage small shipments or ship from production line.

Information: = significant investment in information infrastructure to integrate manufacturer and retailer.

Service factor.

Performance

Response time ↑ : long response time of one to two weeks because of increased distance and two stages for order processing. Response time may vary by product. Thus complicating receiving.

Product variety (Good) : easy to provide a very high level of variety.

Product availability (Good) : easy to provide a high level of product availability.

Customer experience : Good intermits of home delivery


Time to market : fast, with the product available as soon as the first unit is produced.

Order visibility: More difficult but also more important from a customer service perspective.

Returnability: expensive and difficult to implement.

2. Manufacturer storage with Direct shipping and in-transit merge:-

In-transit merge combines pieces of the order coming from different locations so that the customer gets a single delivery.



In-transit merge has been used by direct sellers such as Dell and can be used by companies implementing drop-shipping. When a customer orders a PC from Dell along with Sony monitor, the package carrier picks up the PC from the Dell factory and the monitor from the Sony factory. It then merges the two together at a hub before making a single delivery to the customer.

→ In-transit merge allows Dell and Sony to hold all their inventories at the factory. This approach has the greatest benefits for products with high value whose demand is difficult to forecast, particularly if product customization can be postponed.

Performance characteristics of in-transit merge

Cost factors

Performance

- Inventory : Similar to ^{direct} Drop-shipping.
- Transportation : Some what lower. transportation costs than drop-shipping.
- Facilities & ~~cost~~ handling : Handling costs higher. Than drop-shipping. at ~~costs~~.
- Information : Investment is. somewhat higher. Than for drop-shipping.


Service factors

Performance

- Response time : Similar. to drop-shipping; may be marginally high.
- Product variety : Similar to drop-shipping.
- Product availability : " " "
- Customer experience : Better than drop-shipping because a single delivery has to be received.
- Time to market : Similar to drop-shipping.
- Idea visibility : " " "
- Returnability : " " "

3. Distributor storage with carrier delivery:-

- Under this option, inventory is not held by manufacturers at the factories but is held by distributor/retailer in the intermediate warehouses, and package carriers are used to transport products from the intermediate location to the final customer.
- Amazon, as well as industrial distributors such as W.W. Grainger and McMaster-Carr, have used this approach combined with drop-shipping from a manufacturer.



Relative to manufacturer storage, distributor storage requires a high level of inventory, as the distributor/retailer warehouse generally aggregates demand uncertainty at a lower level than the manufacturer that is able to aggregate demand across all distributor/retailer. From an inventory perspective, distributor storage makes sense for products with somewhat higher demand. This is seen in the ~~this~~ operations of both Amazon and W.W. Grainger. They stock only the medium-to-fast-moving items at their warehouses, with slow moving items stocked farther upstream. In some instances, postponement can be implemented with distributor storage, but it does require that the warehouse develop some assembly capability.

- ✓ - Distributor storage requires much less inventory than a retail network.

Amazon - Amazon achieves about 12 turns of inventory annually using warehouse storage. Whereas Borders achieves about two turns using retail stores.

Performance characteristics of Distributed Storage with carrier delivery

Cost factor

Performance

Inventory ↑ (M) : Higher Than manufacturer Storage. Difference is not larger for faster-moving items.

Transportation ↓ (M) Lower Than manufacturer Storage. Difference regarding reduction is higher for fast moving items.

Facilities & handling ↑ (M) somewhat higher. Than manufacturer Storage. The difference can be larger for very slow-moving items.

Information → : similar. infrastructure compared to manufacturer Storage.

Service factor

Performance

Response time ↑ (M) : Faster. Than manufacturer Storage.

Product variety ↓ (M) : Lower. Than manufacturer Storage

Product availability : Higher cost to provide the same level of availability as manufacturer Storage

Customer experience : Better Than manufacturer Storage with drop shipping

Time to market : Higher. Than manufacturer Storage.


Order visibility : Easier. Than manufacturer Storage

Returnability : Easier. Than manufacturer Storage.

4. Distributor. Storage with last-mile Delivery.

last-mile delivery refers to the distributor/retailer delivering the product to the customer's home instead of using a package carrier.

- last mile delivery requires the distributor warehouse to be much ~~closer~~ closer to the customer. Given the limited radius that can be served with last-mile delivery, more warehouses are required compared to the case when package delivery is used.



- Distributor. storage with last-mile delivery requires higher levels of inventory than the other options (except for retail stores) because it has a lower level of aggregation. From an inventory perspective, warehouse storage with last-mile delivery is suitable for relatively fast-moving items for which disaggregation does not lead to a significant increase of inventory.
- staple items in the grocery industry fit this description.

Performance characteristics of Distributor. Storage with last-mile delivery.

Cost factor.

Performance

- | | |
|-----------------------|---|
| Inventories: | : Higher than distributor storage with package carrier delivery. |
| Transportation | : Very high cost given minimal scale economies. Higher than any other distribution option ^{options.} |
| Facilities & Handling | : Facility costs higher than manufacturer storage & distributor storage with package carrier delivery. but lower than a chain of retail stores. |
| Information. | : Similar to distributor storage with package carrier delivery. |

Service factor.

Performance

Response time : very quick same day to next day delivery.

Product variety : ~~some~~ some what less than distributor. storage with package carrier delivery but larger than retail stores.

Customer experience : very good, particularly for bulk items.

Time to market : slightly higher than distributor. storage with package carrier delivery.

Order traceability : ~~less of an issue~~ easier to implement than manufacturer. storage or distributor. storage with package carrier delivery.

Returnability : easier to implement than other options. Harder and more expensive than a retail network.

5. Manufacturer. or Distributor. Storage with Customer. Pickup.

- in this approach, inventory is stored at the manufacturer. or distributor. warehouse. but customer's place their orders online or on the phone and then travel to designated pickup points to collect their products.
- orders are shipped from the storage site to the pickup points as needed.


ex:- 7dream.com, operated by seven-eleven Japan, which allows customers to pickup online orders at a designated stores.

- A business-to-business ex:- W.W. Grainger, ~~some~~ whose customers can pickup their orders at one of the W.W. Grainger retail outlets.

- In case of 7dream.com the order is delivered from manufact. or distributor. warehouse to the pickup location.

In case of W.W. Grainger, some items are stored at the pickup location

- Seven-eleven has a distribution center, where product from manufacturer. is cross-docked and sent to retail outlets on a daily basis.



- Cost factor
- Performance
- Intensity of Transportation : lower than the use of Package Carriers, easily especially if using an existing delivery network.
- Inventory : can match any other option, depending on the location of inventory.
- Facilities and handling : Facility cost can be very high if new product facilities have to be built. costs are lower if existing facilities are used. The increase in handling cost at the pickup site can be significant.
- Information : significant investment in infrastructure required.

- Service
- Performance
- Response time : similar to package carrier delivery with manufacturer & distributor storage. Same day delivery possible for items stored locally at pickup site.
- Product variety : similar to other manufacturer & distributor storage options.
- Product availability : " " "
- Customer experience : lower than other options because of the lack of home delivery. In areas with high density of population, loss of convenience may be small.

- Time to market : similar to manufacturer. Storage options.
- Order visibility : difficult but essential.
- Returnability : Some what easier Pick up location can handle returns.

6. Retail . Storage with customer . Pick up!

In This option. often viewed as the most traditional type of supply chain, inventory is stored locally at retail stores.

customers walk into the retail stores & place an order online or by phone and pickup at the retail store.

ex. companies that offer multiple options of order placement include Albertsons, which uses part of the facilities as a grocery store and part of the facility as an online fulfillment center.

- customer can walk into the store or order online. A B2B w.w. Grainger's retail outlets customers can order online, by phone, or in person and pickup their orders at one of w.w. Grainger's retail outlets.

Albertsons keeps its inventory at the pickup location itself. w.w. Grainger stores some items at the pickup locations where also others may come from a central location.

Performance characteristics of local storage at consumer pickup site

<u>Cost Factor</u>	<u>Performance</u>
Inventory	: Higher than all other options.
Transportation	: Lower than all other options.
Facilities & handling	: Higher than other options. The increase in handling cost at the pickup site can be significant for online and phone orders.
Information	: Some investment in infrastructure required for online and phone orders.

Service Factor

Performance

- Response time : same-day pickup possible for items stored locally at pickup site
- Product variety : lower than all other options
- Product availability : more expensive to provide than all other options
- Customer experience : Related to whether shopping is viewed as a positive or negative experience by customer.
- Time to market : Highest among distribution options
- Order visibility : Travel for in-store orders, difficult, but essential for online and phone orders
- Returnability : easier than other options given that pickup location can handle returns

The Role of

The Role of network design in the supply chain:-

The s.c. network design decisions include the assignment of facilities role, location of manufacturing, storage, & transportation related facilities, and the allocation of capacity and markets to each facility. supply chain network design decisions are classified as follows.

1. Facility Role:- what role should each facility play? what processes are performed at each facility.
2. Facility location:- where should facilities be located?
3. capacity allocation:- How much capacity should be allocated to each facility?
4. Market and supply allocation:- what markets should each facility serve? which supply sources should feed each facility?

Network design in supply chain ✓

We focus on the fundamental questions of facility location, capacity allocation and market allocation within a supply chain network.

Role of N.D in Supply chain! ✓

includes the assignment of facility role, location of manufacturing, storage, or transportation-related facilities, and ~~capacity~~ allocation of capacity ~~and~~ the allocation of capacity and markets to each facility.

classified as follows

1. Facility role! What role should each facility play?
What processes are performed at each facility.
2. Facility location! Where should facilities be located
3. Capacity allocation! How much capacity should be allocated to each facility
4. Market and supply allocation! What markets should each facility serve?
Which supply sources should feed each facility?

Factors influencing Network Design decisions! ✓

1. Strategic factors! ✓

A firm's competitive strategy has a significant impact on network design decision within the supply chain.

Firms that focus on cost leadership tend to find the lowest-cost location for their manufacturing facilities, even if that means locating very far from the markets they serve.

Even in earlier 1980's many apparel producers moved all their manufacturing out of the ~~United States~~ US to countries with lower labour costs in hope of lowering costs.

tukey → Utop
Dfava.

Date:

To
The Branch Manager
Andhra Bank
New Boyanapalli branch

Sir,
Sub : Request for issue of cheque book

I request you kindly issue a cheque book to above mentioned account number to operate my account

Thanking you,

Yours faithfully,

Signature.....

Name

Account No

→ 2005, most of the manufacturing is now moving to low-cost countries such as China.

→ Global supply chain network can best support their strategic objectives which facilitates in different countries playing different role

↳ Nike Lab Production facilities located in many Asian countries.

Its facilities in China & Indonesia focus on cost and ~~low~~ produce mass-market of low priced shoes for Nike

→ its facilities in Korea, & Taiwan focus on responsiveness and produce higher-priced new designs. This differentiation allows Nike to satisfy a wide variety of demands in the most profitable manner.

→ It is important for a firm to identify the mission & strategic role of each facility when designing its global network.

Kalra Fawcett (1997) suggests the following classification of possible strategic roles for various facilities in a global supply chain network.

1. offshore facility → low-cost facility for export product
The role of being a low cost supply source for markets located outside the countries where the facility is located.

The location selected for an offshore facility should have low labor and other costs to facilitate low cost production.

2. Source facility: low-cost facility for global production

① A source facility is a primary source of product for their entire global network.

② → strategic facility role is broader than that of an offshore facility.

↳ Source facility tend to be located in places where production costs are relatively low, infrastructure is well developed, and skilled workers is available.
Good offshore facilities migrate over time into source facilities.

Factors influencing Network design decision!

1. Strategic factors

- a) Offshore facility: low-cost facility for export production
- b) Source facility: low-cost facility for global production
- c) Server facility: ~~Regional~~ ^{Date:} Regional production facilities

To

The Branch Manager
Andhra Bank
New Boyanapalli branch

(Marluti & Suzuki)

to avoid & overcome high tariffs on imported cost in india

Sir,

Sub: Request for issue of cheque book

- d) Contributor facility: ~~relating to~~ Regional production facilities with development skills.

I request you kindly issue a cheque book to above mentioned account number to operate my account

- e) out Post facility: Regional production facility built to gain local skills.

Thanking you,

- f) Lead facility: ^{Yours faithfully,} facility that leads in development and process technologies.

Signature.....

② Technological factors:

Name

③ Macroeconomic factors! (taxes, tariffs, exchange rates,

Account No

④ Exchange Rate and Demand Risk!

⑤ Political Factors! Rules of commerce and laws

⑥ Infrastructure factors!

⑦ Competitive factors! close to the competitors & far from them

⑧ Externalities a) +ve externalities b/w firms

b) Locating to split the markets

⑧ Socio economic factors!

⑨ Customer. Response time and local presence!

⑩ Logistics and ~~factor~~ Facility costs!

3. Server facility: regional product facilities:-

A server facility's objective is to supply the market where it is located.

A server facility is built because of tax incentives, local content requirement, tariff barriers or high logistics cost to supply the region than elsewhere.

Ex: ^{in 1970's} Suzuki Partnered with the Indian government to set up Maruti Udyog. Maruti was set up as a server facility and produced cars only for the Indian market. Maruti facility allowed Suzuki to overcome ~~high~~ high tariffs on imported cars in India.

4. Contributor facility: regional production facility with ^{development skills} ~~development~~ skills

contributor facility serves the market where it is located but also assumes responsibility for product customization, process improvement, product modification or product development.

Ex. The Maruti facility in India today develops many new products for both the India and the overseas markets and has moved from being a server to a contributor facility in the Suzuki network.

5. Outpost facility: regional production facility built to gain local skills:-

An outpost facility is located primarily to obtain access to knowledge or skills that may exist within a certain region. ~~Given~~ its location, it also plays the role of a server facility.

The primary objective remains one of being a source of knowledge and skills for the entire network. Many global firms have set up outpost production facilities in India despite the high operating costs.

6. Lead facility: facility that leads in development and process technology

Lead facility creates new products, process, technologies for the entire network. Lead facilities are located in areas with good access to a skilled workforce and technological resources

2. Technological factors:-

characteristics of available production technologies have a significant impact on network design decision. If production technology displays significant economies of scale, a few high capacity locations are most effective.

flexibility in the production technology affects the degree of consolidation that can be achieved in the network.

3. Macroeconomic factors:-

it includes taxes, tariffs, exchange rates, and other economic factors that are not internal to an individual firm.

Tariffs & tax incentives:-

- tariffs refers to any duties that must be paid when products and/or equipment are moved across international, state or city boundaries.

- tariffs have a strong influence on location decisions within a supply chain.

- If a country has ^{very} high tariffs companies either do not serve the local market or setup manufacturing plants within the country to save on duties.

Tax incentives:-

- High tariffs leads to more production locations within supply chain network.

Tax incentives are a reduction in tariffs or taxes that countries, states, and cities often provided to encourage firms to locate their facilities in specific areas.

Many countries vary incentives from city to city to encourage investment in areas with lower economic development such incentives are often a key factor in the final location decision for many plants.

4. Exchange Rate and Demand Risk:

Fluctuations in exchange rates are common and have a significant impact on the profits of any supply chain serving global markets.

- Exchange rate risks may be handled using financial instruments that limit, or hedge against, the loss due to fluctuations.
- ~~Suitably design supply chain networks, however, after the~~
- ✓ An effective way to do this is to build some overcapacity into the network and make the capacity flexible so that it can be used to supply different markets. This flexibility allows the firm to react to exchange-rate fluctuations by altering production flows within the supply chain to maximise profits.

5. Political Factors:

- The political stability of the country under consideration plays a significant role in location choice.
- Companies prefer to locate facilities in politically stable countries where the rules of commerce and ownership are well defined.

6. Infrastructure ~~facilities~~ factors:

The availability of good infrastructure is an important prerequisite to locating a facility in a given area.

- Poor infrastructure adds to the cost of doing business for a given location.
- ✓ Key infrastructure elements to be considered during network design include availability of sites, labor availability, proximity to transportation terminals, rail service, proximity to airports and seaports, highway access, congestion, local ~~with~~ utilities.

7. Competitive factors:

- Companies must consider competitors' strategies, size, and location when designing their supply chain network.
- Fundamental decision firms make is whether to locate close to each other because doing so in competitors' or far from them. The form of competition and factors such

as raw material & labour availability influences these decisions.

(a) Positive externalities b/w firms! are instances where the collocation of multiple firms bears benefits all of them.

Positive externalities lead to competitors locating close to each other.

(b) locating to split the market! No. positive externalities, firms locate to be able to capture the largest possible share of the market.

(8) Socioeconomic factors!

The government of India, has as a matter of state policy, promoted industrial development of industrially backward areas in the country concentrating in particular on the northeastern region. Jammu & Kashmir, Himachal Pradesh, Uttarakhand.


(9) customer response time and local presence

The firms that target customers who value a short response time must locate close to them.

(10) logistics and facility costs!

logistics and facilities costs incurred within a supply chain change as number of facility locations, and capacity allocation is changed.


→ company's must consider inventory, transportation, and facility costs when designing their supply chain network.



Frame work for network design decisions!

The goal when designing a supply chain network is to maximise the firm's profits while satisfying customer needs in terms of demand and responsiveness.

- To design a effective network a manager must consider all the factors
- Global network design decisions are made in four. Phases



Phase-I Define A Supply chain Strategy / Design:

- The objective of the first phase of network design is to define a firm's broad supply chain design.
 - This includes determining the stages in the supply chain, and whether each supply chain function will be performed in-house or outsourced.
- Phase-I starts with a clear definition of the firm's competitive strategy and the set of customer needs that the supply chain aims to satisfy.
- ✓ Supply chain strategy then specifies what capabilities the supply chain network must have to support the competitive strategy.
 - Managers must forecast the likely evolution of global competition and whether competitors in each market will be local or global players.
 - Managers must also identify constraints on available capital and whether growth will be accomplished by acquiring existing facilities, building new facilities or partnering.
- Based on the competitive strategy of the firm, its resulting supply chain strategy, an analysis of the competition, any economies of scale or scope, and any constraints, managers must determine the supply chain design for the firm.

Phase-II: Define The Regional Facility Configuration:-

The objective of second phase of network design is to identify regions where facilities will be located, their potential roles, and their approximate capacity.

- ① An analysis of phase-I starts with a forecast of the demand by country. Such a forecast must include a measure of the size of the demand as well as a determination of whether the customer requirements are homogenous or variable across different countries. Homogenous requirements favor large consolidated facilities, whereas requirements that vary across countries favor smaller, localized facilities.

② The next step is for managers to identify whether economic's of scale or scope can play a significant role in reducing costs, given available production technologies.

- If economic's of scale or scope are significant, it may be better to have a few facilities ~~to~~ serving many markets.

③ → Next manager must identify demand risk, exchange-rate risk, and political risk associated with different regional markets. They must also identify regional tariffs, any requirements for local production, tax incentives, and any export or import restrictions for each market.

④ Tax and tariff information is used to identify the best location to extract a major share of the profits. In general, it is best to obtain the major share of profits at the location with the lowest tax rate.

⑤ Managers must identify competitors in each region and make a case for whether a facility needs to be located close to or far from a competitor's facility. ⑥ The desired response time for each market and logistics costs at an aggregate level in each region must also be identified.

~~Based on all this information, managers identify the regional facility config~~

Phase-III Select a set of desirable potential sites:-

- Objective of Phase-III is to select a set of desirable potential sites within each region where facilities are to be located.

→ Sites should be selected based on an analysis of infrastructure availability to support the desired production methodologies.

- Hard infrastructure requirements include the availability of suppliers, transportation service, communication, utilities, and warehousing infrastructure.

- Soft infrastructure requirements include the availability of skilled workforce, workforce turnover, and community receptivity to business and industry.

Phase - IV Location choices:

The objective of Phase IV is to select a precise location and capacity allocation for each facility.

- The network is designed to maximize total profits taking into account the expected margin and demand in each market and various logistics and facility costs, and the taxes and tariffs at each location.

Learning objectives

1. understand the role of network design in a S.C
2. Identify

B₁, B₂, C₁, C₂, C₃, 25, 28,
2

Facility Location

Facility like, Plant and machinery, warehouses etc. while performing the task of producing products/services. A proper planning of these facilities would definitely reduce their cost of operation and maintenance.

Reasons for plant location study.

1. Establishment of a new venture.
2. Expansion of existing business.
3. Significant change in existing demand supply & marketing location.
4. Significant change in the cost structure.
5. Government policies.

Factors influencing plant location:

General factors:-

1. Availability of land for present and future needs and cost of land and land development and building etc.
2. Availability of inputs such as labour, raw material etc.
3. Closeness to the market places.
4. Stability of demand.
5. Availability of communication facilities.
6. Availability of necessary modes of transportation like road, rail, airport, waterways.
7. Availability of infrastructural facilities. Such as power, water, financial institutions, banks etc.
8. Disposal of water and effluent and their impact on the environment.
9. Government support, grant, subsidy, tax structure.
10. Availability of housing facility and recreational facilities.
11. Demographic factors like population, trained manpower, academic institutions, standards of living, income level etc.
12. Security, culture & society.
13. Fuel cost.

Specific factors:- A multinational company, desiring to setup plant should consider the following aspects in addition to the normal factors.

1. The economic stability of the country and the concern of the country towards outside investments are to be considered.
2. The success of operation of the factory depends on the cultural factors, language and cultural differences which can present operating, control and even political problems. Units of measurement is also very important in international business.
3. Analysis must be based on the factors like wage rate, policy, duties etc.
4. The company can set up joint ventures with any leading local giants that will solve many operational problems.

Break-even analysis:-

The objective of any location problem is to maximize profit.

In comparing several potential locations on an economic basis, only revenues and costs need to be considered. These will be varying from one location to another location.

An economic analysis can be done by using break-even analysis. This uses fixed costs and variable costs.

Generalised methodology for locational break-even analysis is given below.

1. Determine all relevant costs for each of the locations.
2. Classify the costs for each location into annual fixed cost and variable costs.
3. Plot the total costs associated with each location on a single chart of ~~total~~ annual cost versus annual volume.
4. Select the location with the lowest total annual cost at the expected production volume.

Ex: Potential locations A, B, C have the cost structures shown below for manufacturing a product which is expected to sell for Rs ~~1000~~⁷⁰⁰⁰ / unit. Find the most economical location for an expected volume of ~~2000~~²⁰⁰⁰ units/year.

	Fixed cost / year (Rs)	Variable cost / unit (Rs)
A	6000000	1500
B	7000000	500
C	5000000	4000


Sol:- Find the total cost for each plant

$$TC = FC + (VC/\text{unit}) (\text{Volume})$$

Location	Total cost (TC)
A	$60000 + 15 \times 2000 = 90000$
B	$70000 + 5 \times 2000 = 80000$
C	$50000 + 4 \times 2000 = 58000$

from the above table, it is clear that the cost for the location 'B' is the minimum. Hence it is to be selected for locating the plant.

The graph can act as a ready made chart to provide solution for different volume of production.



from the graph, the different ranges of production volumes over which the best location to be selected are summarized in the following table.

Range of Production volume	Best plant Selected
$0 \leq v \leq 4000$	C
$4000 \leq v \leq 10000$	A
$10000 \leq v$	B

Single facility location Problem:-

We are given a set of existing facilities with their co-ordinates on x-y plane and the movement of materials from a new facility to all these existing facility. Then the objective is to determine optimal location of the new facility. Generally, we follow Rectilinear distances for such decision. The Rectilinear distance between any two points whose co-ordinates are (x_1, y_1) and (x_2, y_2) is given by the following formula.

$$d_{12} = |x_1 - x_2| + |y_1 - y_2|$$

Some properties of an optimum solution to the Rectilinear distance location problem are as follows.

1. The x-coordinate of the new facility will be same as the x-coordinate of some existing facility similarly the y-coordinate of the new facility will coincide with the y-coordinate of some existing facility.

It is not necessary that both co-ordinates of the new facility be same as that of some existing facility.

2. The optimum x-coordinate (y-coordinate) location for the new facility is a median location.

A median location is defined to be a location such that no more than one half the item movement is to the left (below) of the new facility location and no more than one half the item movement is to the right (above) of the new facility location.

Exal an ~~example~~ example of a Rectilinear distance location problem, consider the location of new plant which will supply raw materials to ~~the~~ a set of existing plants in a group of companies.

Suppose that there are 5 existing plants, which have a material movement relationship with the new plant. Let the existing plants have locations of $(400, 200)$ $(800, 500)$ $(1100, 800)$ $(200, 900)$ $(1300, 300)$ Furthermore suppose that the number of tons of materials transported / year from the new plant to various existing plants 450, 1200, 300, 800, 1500, respectively. Then our objective is to determine optimum location for the new plant

such that distance moved is minimized.

Sol:- Let (x, y) be the co-ordinate of the new plant

The optimum x-co-ordinate for the new plant is determined as follows.

The data of existing plants are ordered according to their x-co-ordinate values, next the weights are accumulated. The total number of tons transported/year is 4250.

Existing Plant	x-co-ordinate	weight	cumulative weight
4	200	800	800
1	400	450	1250
2	800	1200	2450
3	1100	300	2750
5	1300	1500	4250
		Total =	4250 tons

The median location corresponds to the cumulative weight $4250/2 = 2125$ from the above table the corresponding x-co-ordinate value is 800 ~~since~~ weight = 2125

y-co-ordinate

Existing Plant	y-co-ordinate	weight	Cumulative.
1	200	450	450
5	300	1500	1950
2	500	1200	3150
3	800	300	3450
4	900	800	4250
		Total	4250 tons

The median location of on y-axis ~~is~~ corresponding to the cumulative weight $4250/2 = 2125$ is 500

∴ The optimal $(x, y) = (800, 500)$

(The objective was to locate a ~~sig~~ single new facility in ~~relating~~ ^{relation} to the set of existing facilities such that the total cost of transportation between the new facility and set of existing facility is minimized)

✓ Network optimization models. (Multi facility location model)

Managers consider regional demand, tariffs, economic of scale, and aggregate factor costs to decide the regions in which facilities are to be located.

Ex: Sunflower oil products with India wide sales

→ The manager considers.

✓ Sunoil; manufacturer of Petrochemical products with world wide sales. The vice president of supply chain, can consider several different options to meet demand.

① one possibility is to setup a facility in each region.

② An alternative approach is to consolidate plants in just few regions.

① - The advantage of such an approach is that it lowers transportation cost and also helps avoid duties that may be imposed if product is imported from other regions.

- The disadvantage of this approach is that plants are sized to meet local demand and may not fully exploit economic of scale.

② - An alternative approach is to consolidate plants in just few regions ~~to~~ this improves the economic of scale but increases transportation cost and duties. During phase-II the manager must consider these quantifiable trade-offs along with non-quantifiable factors such as the competitive environment and political risk.

Step-I is to collect the data in a form that can be used for a quantitative model.

Sunoil The vice president of supply chain decides to view the world wide demand in terms of five regions - N. America, S. America, Europe, Africa, Asia.

	A	B	C	D	E	F	G	H	I	J
1	Inputs -	Costs,	Capacities,	Demand.						
2		Demand Region.								
3	Supply Region	Production & Transportation cost per 10,000 units.					Fixed cost (\$)	low capacity	fixed cost	high cost
4	NA	81	92	101	130	115	6,000	10	9,000	20
5	SA	117	77	108	98	100	4,500	10	6,750	20
6	E.	102	105	95	119	111	6,500	10	9,750	20
7	Asia	115	125	90	59	74	4,100	10	6,150	20
8	Africa	142	100	103	105	71	4,000	10	6,000	20
9	As.	12	8	14	16	7				

Annual demand for each of five regions is shown in cells B9:F9. cells B4:F9 contain variable production and inventory, transportation costs of producing in one region to meet demand in each individual region.

The fixed cost as well as variable costs associated with facilities, transportation, and inventories, at each facility.

Fixed costs are those that are incurred no matter how much is produced & shipped from facility a facility. variable costs are those that are incurred in proportion to the quantity produced & shipped from a given facility.

facility, transportation, and inventory costs generally display economies of scale and the managerial cost decreases as the quantity produced at a facility increases.

- Sunoil is considering two different plant sizes in each location
 - low capacity plant produces 10 million units and
 - high capacity plant produces 20 million units.
- high capacity plants exhibit some economies of scale, and have fixed costs that are less than twice the fixed cost of low capacity plant.

The Capacitated Plant Location Model

The capacitated plant location network optimization model requires the following ~~data~~ input.


n = number of potential plant locations / capacity

m = number of markets and demand points.

D_j = annual demand from market j

K_i = potential capacity of plant i

C_{ij} = cost of producing and shipping one unit from factory i to market j



The supply chain team's goal is to decide on a network design that maximizes profits after taxes.

This model thus focuses on minimizing the cost of meeting

of meeting global demand. It can however, be modified to include profits and taxes.

Define the following decision variables:-

$y_i = 1$ if plant i 's open, 0 otherwise

$x_{ij} =$ quantity shipped from plant i to Market j

The problem is then formulated as the following integer programming.

$$\min \sum_{i=1}^n f_i y_i + \sum_{i=1}^n \sum_{j=1}^m c_{ij} x_{ij}$$

Sub. to $\sum_{i=1}^n x_{ij} = D_j$ for $j = 1, \dots, m$. — 5.1 (a) ①

$\sum_{j=1}^m x_{ij} \leq K_i y_i$ for $i = 1, \dots, n$. — 5.2 (a) ②

$y_i \in \{0, 1\}$ for $i = 1, \dots, n$; $x_{ij} \geq 0$. — 5.3 (a) ③

The objective function minimizes the total cost (fixed + variable) of setting up and operating the network. The constraint in eq. 5.1 requires demand at each regional market be satisfied. The constraint in eq. 5.2 states that no plant can supply more than its capacity. (clearly, the capacity is 0 if the plant is closed and K_i if it is open.) The product of terms $K_i y_i$ captures this effect.) The constraint in eq. 5.3 enforces that each plant is either open ($y_i = 1$) or close ($y_i = 0$). The solution identifies the plants that are to be kept open, their capacity, and the allocation of regional demand to these plants.

Gravity location model:

a manager identifies potential locations in each region where the company has decided to locate a plant. As a preliminary step, the manager needs to identify the geographic location where potential sites may be considered. Gravity location models can be useful when identifying suitable geographic locations within a region.

- Gravity models are used to find locations that minimize the cost of transporting raw materials from suppliers and finished goods to the markets served. Next, we discuss a typical scenario in which gravity models can be used.

x_n, y_n : coordinate location of either a market or supply source n

F_n : cost of shipping one unit for one mile between the facility and either market or supply source n

D_n : quantity to be shipped between facility and market or supply source n .

if (x, y) is the location selected for the facility, the distance d_n b/w the facility at location (x, y) and the supply source or market n is given by.

$$d_n = \sqrt{(x - x_n)^2 + (y - y_n)^2}$$

The total transportation cost (TC) $TC = \sum_{n=1}^K d_n D_n F_n$

$$= \sum_i f_i y_i + \sum_{i=1}^n \sum_{j=1}^n c_{ij} x_{ij}$$

Sub to


$$\left. \begin{aligned} \sum_{i=1}^n x_{ij} &= D_j \\ \sum_{j=1}^n x_{ij} &= K_i y_i \\ y_i &\in \{0, 1\} \end{aligned} \right\}$$

$$= 6000 \times 1 + \sum_{i=1}^n \sum_{j=1}^n 81 \times 100$$

Gravity location model

location model its used as a gravity method.

(minimize the sum of the weighted distances and \rightarrow distances are calculated from the facility that are located to the customer.)



$$\min \sum_i W_i d_i$$

$$C_1 (x_1, y_1)$$

$$C_2 (x_2, y_2)$$

$$C_m (x_m, y_m)$$

$W_i =$ number of trips.

$W_i =$ total annual shipments.

a facility located $F(x_0, y_0)$


$$\text{distances from facilities: } d_i = \sqrt{(x_i - x_0)^2 + (y_i - y_0)^2}$$

\Rightarrow Transportation Problem

$C_{ij} =$ cost of goods from supply i to customer j

$$\min \sum_i \sum_j C_{ij} x_{ij}$$

$$\sum_j x_{ij} \leq C_i ; \sum_i x_{ij} \geq D_j ; x_{ij} \geq 0.$$



Models for facility location and capacity allocation:

Manager's goal is to when locating facilities and allocating capacities should be maximize the overall profitability of the resulting supply chain network while providing customers with the appropriate responsiveness. Revenues come from the sales of product, whereas costs arise from facilities, labour, transportation, material, and inventories. The profit of the firm are also affected by taxes and tariffs. Ideally, profits after tariffs and taxes should be maximised when designing a supply chain network.

Manager must consider many trade-offs during network design. building many facilities to serve local markets reduces transportation cost and provides a fast response time, but it increases a facility and inventory costs incurred by the firm.

Manager's use network design models in two different situations.

1. First these models are used to decide on locations where facility facilities will be established and capacity to be assigned to each facility. Manager's must make this decision considering a time horizon over which locations and capacities will not be altered.
2. These models ~~are~~ ~~in~~ ~~trade~~ are used to assign current demand to the available facilities and identify lanes along which product will be transported. Manager's must consider this decision at least an annual basis as demand, prices, exchange rate, and tariffs change. In both cases, the goal is to maximize the profit while satisfying customers.

~~Location of supply~~

Managers use network design models in 2 diff situations

1. These models are used to decide on locations where facilities will be established and the capacity to be assigned to each facility. Managers must make this decision, considering a time horizon over which locations and capacities will not be altered.
2. These models are used to assign current demand to the available facilities and identify lanes along which product will be transported. Managers must consider this decision at least on an annual basis as demands, prices, exchange rates, and tariffs change.

⇒ Both cases maximize the profit and while satisfying customer needs.

The following information ideally is available in marketing the design decision.

- Location of supply sources and markets
- Location of potential facility sites
- Demand forecast by market
- Facilities, labour, and material costs by site
- Transportation costs b/w each pair of sites
- Inventory costs by site and as a function of quantity
- Sale price of product in different regions
- Taxes and tariffs
- Desired response time and other service factors

Network design in supply chain.

Focuses on the fundamental considerations of facility location, capacity allocation, and market allocation with "supply chain network".

Role of Network Design in supply chain:-

S.C.N.D. decisions includes the assignment of facility role, location of manufacturing, storage, & transportation-related facilities; and the allocation of capacity and markets to each facility. S.C. network design decisions as follows.

1. Facility role:- What role should each facility play? What processes are performed at each facility?
2. Facility location:- Where should facilities be located?
3. Capacity allocation:- How much capacity should be allocated to each facility?
4. Market and supply allocation:- What markets should each facility serve? Which supply sources should feed each facility?

① Each role of each facility are significant because they determine the amount of flexibility the supply chain has in changing the way it meets demand.

② Facility location decisions have a long-term impact on supply chain performance because it is very expensive to shut down or a facility & move it to a desired location. A good location decision can help a S.C. be responsive while keeping its costs low.

in contrast with a poorly located facilities makes it very difficult for a supply chain to perform close to the efficient frontier.

③ Capacity allocation decisions also have a significant impact on S.C. performance. Where as capacity allocation can be altered more easily than location, capacity decisions do tend to stay in place for several years. Allocating too much capacity to a location results in poor utilization, and as a result, higher.

costs. Allocating too little capacity results in poor responsiveness if demand is not satisfied. A high cost if demand is filled from a distant facility.

④ The allocation of supply sources and markets to facilities has a significant impact on performance because it affects total production, inventory, and transportation costs including incurred by the supply chain to satisfy the customer demand.

Transportation and Pricing Products

Transportation refers to the movement of product from one location to another ~~location~~ as it makes its way from the bringing of a supply chain to the customer. ^{Handle} Transportation is an important supply chain driver, because products are rarely produced and consumed in the same location. Transportation is the significant of the costs incurred by most supply chains.

Role of transportation:-

The role of transportation is even more significant in global supply chains. Dell currently has suppliers world wide and sells to customers all over the world from just few plants. ~~to~~ Transportation allows products to move across Dell's global network. Similarly, global transportation allows wall-mart to sell products manufactured all over the world in the united states.

- Any supply chain success is closely linked to the appropriated use of transportation.

ex: Seven-eleven Japan. Company used ~~to~~ transportation to achieve its ~~strategies~~ goals. Company has a goal of carrying products in its storage to match the customers as they vary by geographic location or time of day.

→ supply chain also use responsive transportation to centralize inventories and operate with fewer facilities.

ex: Amazon.com relies on package carriers and postal system to deliver customer orders from centralized warehouse.

- The shipper is the party that requires the movement of the product b/w two points in the supply chain.

The carrier is the party that moves & transports the product
ex: Dell- shipper. UPS- carrier.

Transportation network as a collection of nodes and links. Transportation originates and ends at nodes and travels on links. For most modes of transportation, infrastructure, such as ports, roads, waterways, and airports, is required both at the nodes and links. Most transportation infrastructure is owned and managed as a public good throughout the world.

- Transportation policy also aims to ~~provide~~ prevent abuse of monopoly power, promote fair competition and balance environmental, energy, and social concerns in transportation.

Factors affecting transportation decisions:-

1. Carrier (Party that moves (or) transports the products)
- vehicle-related costs, fixed operating costs, trip-related costs
- often incur huge investments.

2. Shipper (Party that requires the movement of the product b/w two points in the supply chain)
- May need to balance transportation costs with inventory and facility costs.

3. Consignee (Party that receives the shipment)
- may have certain responsiveness needs.

4. The owners of the infrastructure (ports, highways, railroads)

5. Govt / bodies that set worldwide transportation policy.

Models of transportation and their performance characteristics:-

~~Sec. 4.~~
Supply chain use a combination of the following Models of transportation.

1. Air.
2. Package carriers.
3. Truck.
4. Rail.
5. Water.
6. Pipe line
7. Intermodal.

The effectiveness of any mode of transportation is affected by equipment investments and operating decisions by the carrier, as well as the available infrastructure and transportation policies. The carrier's primary objective is to ensure good utilization of its assets while providing customers with an acceptable level of service. Carrier decisions are affected by equipment cost, fixed operating cost, variable operating costs, the responsiveness the carrier seeks to provide its target segment, and the prices that the market will bear.

AIR:-

Airlines have a high fixed cost in infrastructure and equipment, labor, and fuel costs are largely trip related and independent of the number of passengers or amount of cargo carried on a flight.

An air line's goal is to maximize the daily flying time of a plane and the revenue generated/trip. Given the large fixed costs and relatively low variable costs, revenue management is.

Air carriers offer a very fast and fairly expensive mode of transportation. Small, high-value items or item-sensitive emergency shipments that have to travel

along distance are best suited for air transport. Air carriers normally move shipments under 500 pounds, including high-value but lightweight hi-tech products. Given the growth in high technology, the weight of freight carried by air has ~~diminished~~ diminished over the last two decades even as the value of the freight increased some ~~with a lot~~.

Key issues that air carriers face include indentifying the location and number of hubs, assigning planes to routes, setting up maintenance ~~and~~ schedules for planes, scheduling crews, & managing prices and availability at different prices.

⑧ Package carriers:-

Package carriers use air, truck, and rail to transport time-critical, smaller packages. Package carriers are expensive and cannot compete with LTL carriers on price for large shipments. The main ~~to~~ service they offer shippers is rapid and reliable delivery. Thus shippers use package carriers for small and time-sensitive shipments. Package carriers also provide other value-added services that allow shippers to speed inventory flow and track ~~order~~ ^{order} status. By tracking order status, shippers can proactively inform customers about their packages. Package carriers also pick up the package from the source and deliver it to the destination site. With an increase in (e, IT) deliveries and focus on inventory reduction, demand for package carriers has grown. Ex: Dell, Amazon, etc business.

Key issue in this industry includes the location and capacity of transfer points as well as information capability to facilitate and track package flow. For final delivery to a customer, an important consideration is the scheduling and routing of the delivery trucks.

TRUCK

~~#11~~

T-L operations' relatively low fixed costs, and owning a few trucks is often sufficient to enter the business.

T-L pricing displays economies of scale with respect to the distance traveled. Given trailers of different size, pricing also displays economies of scale with respect to the size of the trailer used. TL shipping is suited for transportation b/w manufacturing facilities and warehouse & b/w suppliers and manufacturers.

→ TL tends to be cheaper for large shipments.

Prices display some economies of scale with the quantity shipped as well as the distance traveled.

→ Key issue of the LTL industry include location of consolidation centers, assigning of loads to trucks, and scheduling and routing of pickup and delivery.

→ Goal is to minimize costs through consolidation with hurting delivery time and reliability.

Rail

Rail carriers' incurren's incur a high fixed cost in terms of rails, locomotives, cars, and yards, ~~there~~

there is also a significant trip-related labor and fuel cost that is independent of the no. of cars but does vary with the distance traveled and the time taken. Any idle time, once a train is powered, is very expensive because labor, and fuel costs are incurred even though train is not moving.

(The price structure and the heavy load capability makes rail an ideal mode for carrying large, heavy & high density products over long distances, & transportation time by rail, can be longer. Rail is thus idle for very heavy low-value shipments, that are not very time sensitive. coal, ~~for ex~~ is a major part of each rail road's shipments. Small, time-sensitive short distance & short + lead-time shipments hardly go by rail

Water! - and significantly delays occur at ports and terminals. This makes water transport difficult ~~for~~ to operate for short ~~haul~~ haul trips.

Water transportation is ideally suitable for

carrying very large loads at low cost. Water transportation is used primarily for the movement of large bulk commodity shipments and is the cheapest mode for carrying such loads. Slowest of all modes.

Pipeline - typically operated operations are about 80% of pipe line capacity. Pipe line is best suitable for when relatively ^{large} ~~small~~ and large flows are ~~required~~ ^{required} because sending Intermodal! ^{goods} crude oil,

Intermodal transportation is the use of more than one mode of transport to move a shipment to its destination.

Key issues in the intermodal industry involve the exchange of information to facilitate shipment transfers b/w different

Transportation Refers to The movement of Product from one location to another As it makes its way from The Beginning of a Supplychain to The customer's handle. ~~In this exciting~~

Any supply chain's success is closely linked to The appropriate use of transportation. Wal-Mart has effectively used A responsive transportation system to lower its transportation costs.

Factors affecting Transportation decisions:-

1. The vehicle - Related is incurred whether The vehicle is operating or not & is considered fixed for short term operational decisions by the carrier.
2. Fixed operating costs is generally proportional to The size of operating facilities. This includes any cost associated with terminals, Airport gates & labor. That are incurred whether vehicles are operating or not.
3. Trip- Related cost includes The price of labour & fuel incurred for each trip independent of The quantity transported.
4. Quantity Related cost are loading/unloading costs & A portion of The fuel cost that varies with The quantity being transported.
5. Overhead cost includes The cost of planning & scheduling A transportation network as well as any investment in Information technology.

Models because these transfers often involve considerable delays, hurting delivery time performance.

Design options for a transportation network:


The design of a transportation network affects the performance of a supply chain by establishing the infrastructure within which operational transportation decisions regarding scheduling and routing are made. A well-defined transportation network allows a supply chain to achieve the desired degree of responsiveness at a low cost.

These design options may be implemented b/w any two stages of a supply chain.

1. Direct Shipment Network:-
2. Direct Shipment with milk runs:-
3. All shipments via central DC.
4. Shipment shipping via DC using milk runs.
5. Tailored network using milk runs.

1. Direct Shipment network:-

With the direct shipment network option the buyer structures his transportation network so that all shipments come directly from each supplier to each buyer location.



With a direct shipment network the routing of each shipment is specified and the supply chain manager only needs to decide on quantity to ship and mode of transportation to use. This decision involves a trade-off b/w transportation & inventory costs.

→ Major advantage of a direct shipment transportation network is the elimination of intermediate warehouses and its simplicity of operation and co-ordination.



The decision made for one shipment does not influence others.
 * The transportation time from supplier to buyer location is short because each shipment goes direct.

- With small buyer locations, a direct shipment network tends to have high costs. If a TL carrier is used for transportation, the high fixed cost of each truck results in large lots moving from suppliers to each buyer location, resulting in high supply chain inventories. If a LTL carrier is used, the transportation cost and the delivery time increase, though inventories are lower. If package carriers are used, the transportation costs are very high.
- With direct deliveries from each supplier, receiving costs are high because each supplier must make a separate delivery.

Direct Shipping with milk runs:-

A milk run is the route on which a truck either delivers products from a single supplier to multiple retailers, or goes from multiple suppliers to a single buyer location.


- In direct shipping with milk runs, a supplier delivers directly to the multiple buyer locations on a truck or a truck picks up deliveries destined for the same buyer location from many suppliers. When using this option, a supply chain manager has to decide on the routing of each milk run.
- Direct shipping provides the benefit of eliminating intermediate warehouses, whereas milk runs lower transportation cost by consolidating shipments to multiple locations on a single truck.



ex: Toyota. uses milk runs from suppliers to support its JIT manufacturing in both Japan and the United States. In Japan, Toyota has many assembly plants located close together and thus uses milk runs from a single supplier to many plants.

All Shipments VIA Central DC!

under this option suppliers do not send shipments directly to buyer locations. The buyer divides their locations by geographic region and a DC is built for each region. Suppliers send their shipments to the DC and the DC then forwards appropriate shipments to each buyer location.



The DC is an extra layer between suppliers and buyer locations and can play two different roles. one is to store inventory and the other is to serve as a transfer location. → In either case, the presence of DC's can help reduce supply chain cost when suppliers are located far from the buyer locations and transportation costs are high. ~~The~~

→ The presence of DC allows a supply chain to achieve economies of scale for inbound transportation to a point close to the final destination, because each supplier sends a large shipment to the DC that contains product for all locations the DC serves. Because DCs serve locations ~~nearby~~ nearby, the outbound transportation costs are not very large.


ex: W.W. Grainger has its suppliers ship products to one of nine DCs ~~with~~ which in turn replenish their almost 400 branches

At transportation economics required very large shipments on the inbound side, DC's hold inventory and send product to buyer locations in smaller replenishment lots.

- cross-docking is appropriate for products with large, predictable demands and requires that DC's be setup such that economics of sales in transportation are achieved on both inbound and outbound sides.

→. As a result, the total lot size to all stores from each supplier fills trucks on the inbound side to achieve economics of scale. on the outbound side, the sum of lot size from all suppliers to each retail store fills up the truck to achieve economics of scale.

Shipping via DC using Milk Runs:-



Milk runs can be used from a DC if lot sizes to be delivered to each buyer location are small. Milk runs reduce ~~outlet~~ outbound transportation costs by consolidating small shipments.

Ex: seven-eleven Japan cross-docks, delivers ~~for~~ from its fresh-food suppliers at its DC's and sends out milk runs to the retail outlets because the total shipment to a store from all suppliers.

Tailored network:-

B3, B81, 391, A1, 320, 98, 99, 86
3A7, 375.

Tailored network operation is a suitable combination of previous operations that reduces the cost and improves responsiveness of the supply chain. Here transportation uses a combination of cross-docking, milk runs and TL, LTL carriers, along with package carriers in some case.

The goal is to use the appropriate ~~oper~~ option in each situation. High-demand products to high-demand retail outlets may be shipped directly, whereas low-demand products & shipments to low-demand retail outlets are consolidated to and from the DC.

- The complexity of managing this transportation network is high because different shipping procedures are used for each product and retail outlet.

→ Operating a tailored network requires significant investment in information infrastructure to facilitate the coordination.

Such a network, however, allows for the selective use of a shipment method to minimize the transportation as well as inventory costs.

Trade-offs in transportation design:-

All transportation decisions made by shippers in a supply chain network must take into account their impact on inventory costs, facility and processing costs, the cost of co-ordinating operations, as well as the level of responsiveness provided to customers.

ex: Dell ~~is~~ using of package carriers to deliver PCs to customers increases the transportation cost, but allows Dell to centralize its facility facilities and reduce inventory costs. If Dell wants to reduce its transportation costs, the company must either sacrifice responsiveness to customers, & increase the number of facilities and reducing resulting inventory to move closer to customers.

The cost of co-ordinating operations is generally hard to quantify. Shippers should evaluate different transportation operations in terms of various costs as well as revenues and then rank them according to co-ordination complexity. A manager can then make the appropriate transportation decision.

Managers must consider the following trade-offs when making transportation decisions

- ① → Transportation & Inventory cost trade-off
- ② → " & customer responsive trade-off.

① Transportation & Inventory Cost Trade-off;

The trade-off b/w transportation & Inventory cost is significant when designing a supply chain network. Two fundamental supply chain decisions involving this trade-off.

- a. choice of transportation mode
- b. Inventory aggregation.

a. Choice of Transportation mode:-

For both decisions shippers must balance transportation and inventory costs.

The mode of transportation that results in ~~the~~ the lowest transportation cost does not necessarily lower total

Trade-off in Transportation Design

Managers must consider the following trade-off when making transport decisions:

1. Transportation and inventory cost trade-off { Choice of transportation mode
Inventory aggregation
2. Transportation cost and customer responsiveness trade-off

Tailored Transportation:

1. Density to distance
2. Tailored transportation by size of customer.
3. Tailored transportation by product demand & value.

~~total~~ cost's for a supply chain.

→ cheaper modes of transportation typically will have longer lead times and larger minimum shipment quantities. Both of which result in higher levels of inventory in the supply chain.

→ Modes that allow for shipping in small quantity lower inventory levels. But tends to be more expensive.

* → When selecting mode of transportation, managers must account for cycle, safety, and in-transit inventory costs. That result from using each mode. Modes with high transportation cost can be justified if they result in significantly lower inventory cost:

(b) Inventory aggregation:

Firms can significantly reduce the safety inventory they require by physically aggregating inventory inventories in one location. Most e-businesses use this technique to gain advantage over firms with facilities in many locations.

ex: Amazon.com has focused on decreasing its facilities facility and inventory cost by holding inventory in a

few warehouse, where are book sellers such as Borders and Barnes & Noble have to hold inventory in many retail stores. (inbound & outbound transportation cost)

Inventory aggregation is a good idea when inventory and facility costs form a large fraction of supply chain ~~cost~~ total costs. Inventory aggregation is useful for products with a large value-to-weight ratio and for products with high demand uncertainty.

ex: Inventory aggregation is very valuable for new products in the PC industry. Because PC's have a large value-to-weight ratio and demand for new product is uncertain.

- Inventory aggregation is also a good idea if customer orders are large enough to ensure sufficient economies of scale on outbound transportation. When the products have a low value-to-weight ratio and customer orders are small. Inventory aggregation may hurt a supply chain performance because of high transportation costs.

2. Trade off between transportation cost and customer responsiveness.

The transportation cost a supply chain incurs is closely linked to the degree of responsiveness. The supply chain aims to provide. If a firm has high responsiveness and ships all orders within a day of receipt from the customer, it will have small outbound shipment's results in a high transportation cost.

If it decreases its ~~order~~ responsiveness and aggregates order over a longer time horizon before shipping them out. It will be able to exploit economies of scale and lower transportation cost because large shipment's.

temporal aggregation is the process of combining orders across time. Temporal aggregation decreases a firm's responsiveness & because a shipping delay but also decreases transportation cost ~~because of shipping delay but also decreases~~ ~~transportation cost~~ because of economies of scale that results

from large shipments. Thus a firm must consider trade off b/w responsiveness and transportation cost when designing its transportation network.

Tailored transportation:-

Tailored transportation is the use of different transportation networks and modes based on customer and product characteristics. Most firms sell a variety of products and serve many different customer segments.

A firm can meet customer needs at a lower cost by using tailored transportation to provide the appropriate transportation choice based on customer and product characteristics.

(a) Density and distance:-

A firm must consider customer density and distance from warehouse when designing transportation network. The ideal transportation options based on density and distance.

Transportation options based on customer density and distance:-

	<u>Short distance</u>	<u>Medium distance</u>	<u>Long distance</u>
<u>High density</u>	Private fleet with milk run	Cross-dock with Milk Run LTL carrier	Cross-dock with Milk Run LTL & Package carrier
<u>Medium density</u>	Third party Milk run		
<u>Low density</u>	Third party Milk Run & LTL carrier	LTL & Package carrier	Package car

② Tailored Transportation by Size of Customer:-

Firms must consider customer size and location when designing transportation networks. Very large customers can be supplied using TL carriers, whereas smaller customers will require an LTL carrier, or milk runs.

1. Transportation cost based on total route distance.
2. Delivery cost based on number of deliveries.

③ Demand & Value:-

Product type	High value	Low value
High demand.	Disaggregate cycle inventory aggregate safety inventory mode of transportation for replenishing cycle inventory and fast mode when using safety inventory.	Disaggregate all inventory and use inexpensive mode of transportation for replenishment
Low demand.	Aggregate all inventory if needed. use fast mode of transportation for filling customer orders	Aggregate only safety inventory. use inexpensive mode of transportation for replenishing cycle inventory

⑥ A firm can partition customers into Large & Medium & ~~and~~ Small, based on the demand at each.

- optimum optimal. frequency of visits can be evaluated based on the transportation and delivery costs. If the large customers are to be visited every milk run, medium customers every other milk run, low demand customers every three m...

Suitable milk runs can be ~~evaluated by~~ designed by combining large, medium, small. (L, M, S_1) (L, M_2, S_2) (L, M_1, S_3)
 (L, M_2, S_1) (L, M_1, S_3) (L, M_2, S_3)

This tailored sequence has the advantage that each truck carries about the same load and larger customers and provided more frequent delivery than small ~~customers~~.

consistent with their relative costs of delivery.

Role of Pricing in and Revenue management in a supply chain :-

Pricing is an important lever to increase supply chain profits by better matching supply and demand. Pricing influences the amount of product demand and the total revenue generated.

Revenue management is the use of pricing to increase the profit generated from a limited supply of supply chain assets.

Supply chain assets exist in two forms. → Capacity
→ Inventory.

- Capacity assets in the supply chain exist for production, transportation and storage.
- Inventory assets exist throughout the supply chain and are carried to improve product availability.

To increase the total margin earned from these assets, managers must use all available levels, including price.

This is the primary role of revenue management. Traditionally firms have often invested in or eliminated assets to reduce the imbalance between supply and demand.

Firms build additional capacity during the growth part of a business cycle and shut down some capacity during a downturn.

Ideas from revenue management suggest that a firm should first use pricing to achieve some balance between supply and demand and only then invest in or eliminate assets.

- * using revenue management a firm would seek to do much more. One approach is to charge a lower price to customers willing to commit their orders far in advance and a higher price to customers looking for transportation capacity at the last minute.

- ②
- Another approach is to charge a lower price to customers with long term contracts and high price to customers looking to purchase capacity at the last minute.
 - Third approach is to charge a higher price during periods of high demand and lower prices during periods of low demand.

① ⇒ Revenue Management adjusts the pricing and available supply of assets to maximize profits. Revenue Management has a significant impact on supply chain profitability when one or more of the following four conditions exist:

1. The value of the product varies in different market segments.
2. The product is highly perishable or product wastage occurs.
3. Demand has seasonal and other peaks.
4. The product is sold both in bulk and on the spot market.

→ R.M. is the use of price

• Simple R.M. may also be defined as offering different prices based on customer segment, time of use, and product or capacity availability to increase supply chain profits.

① → R.M. for multiple customer segments

- If the supplier serves multiple customer segments. With a fixed asset, the supplier can improve revenue by selling different prices for each segment.
- Must figure out customer segments.
- Price must be set with barriers such as that the segment willing to pay more is not able to pay the lower price. Barriers:- Time, location, prestige, inconvenience, extra service.

RM for perishable assets:-

Any assets, that loses value over time is Perishable
ex: high-tech products. Such as computers, and cell phones, high fashion apparel, underutilized capacity, fruits and vegetables, pharmaceuticals are Perishable.

Two basic approaches: 1. Sales cycle of about two weeks. once
The sales

Dynamic Pricing:- Vary price over time to maximize expected limited capacity, Demand variability, Seasonality in demand, demand pattern, Shift planning horizon.

Overbooking: overbook sales of the assets to account for calculations.

overbooking, is overselling of a supply chain asset its valuable if orders cancellations occur and the asset is Perishable.

Level of over booking is trade off b/w the cost of wasting the assets if too many cancellations leads to unused assets and (spoilage) and the cost of arranging a backup (offload) if too few cancellations lead to committed orders being larger than the available capacity.

RM for seasonal demand:-

Seasonal peaks of demand are common in many sectors.

- Most retailers achieve a large portion of total annual demand in December.
- off-peak, discounting can shift demand from peak to non peak periods.
- charge higher price during peak periods and a low price during off-peak periods.

RM for Bulk and Spot Customers:

Most consumers of production, warehousing, and transportation assets, in a supply chain face the problem of constructing a portfolio of long-term bulk contracts, and short term spot market contracts.

- long-term contracts for low cost
- Short " flexibility

~~Based on~~


The basic decision is the size of the bulk contract. The fundamental trade-off is how wasting a portion of the low cost bulk contract and paying more for the asset on the spot market.

*①

All of these RM strategies that use differential pricing as a critical lever to maximize earnings.

RM may also be defined as the use of differential pricing based on customer segment, time of use, and product or capacity availability to increase supply chain surplus.

20/2. 9, 19, 23, 51, 13, 53, 55,




Planning and Managing Inventories in a Supply Chain

Managing multi-echelon cycle inventory:

in multiechelon supply chain has multiple stages and possibly many players at each stage. The lack of co-ordination in lot sizing decisions across the supply chain results in high cost and more cycle inventory than required.

"The goal in a multiechelon system is to decrease total costs by co-ordinating orders across the supply chain."

consider a simple multiechelon system with one manufacturer - supplying one retailer. Assume that production is instantaneous. So the manufacturer can produce a lot when needed. If the two stages are not synchronized, the manufacturer may produce a new lot of size a right after shipping a lot of size a to the retailer. In this case ~~Manufacturer~~ ^{Retailer} carries an average inventory of $a/2$. The manufacturer carries an average inventory of about a .




For a simple multiechelon supply chain with only one player at each stage, ordering policy in which the lot size at each stage is an integer multiple of the lot size at its immediate customer, have been shown to be quite close to optimal. When lot sizes are integer multiples, co-ordination of orders across stages allows for a potential position of the delivery to a stage to be cross-docked on to the next stage.

The extent of crossdock depends on the ratio of the fixed cost of ordering 's' and holding cost 'h' at each stage. The closer this ratio is between two stages the higher is the optimal percentage of cross-docked product.


If one party (distributor) in a supply chain supplies multiple parties (retailers) at the next stage of the supply chain, it is important to distinguish retailers with high demand from those with low demand. If retailers are grouped such that all retailers in one group order together and for each retailer, either the ordering frequency is an integer multiple of the ordering frequency at the distributor or (the ordering frequency at the distributor is an integer multiple of the frequency at the retailer).

- An integer replenishment policy has every player ordering periodically, with the length of the reorder interval for each player an integer multiple of some base period.

Ex: The distributor places a replenishment order at every two weeks distributor replenishment order arrives.




Retailer shipment is cross-docked.




Retailer shipment is cross-docked.



Retailer shipment is cross-docked.



- Some retailers place replenishment orders every week and others two or four weeks. observe \rightarrow that for retailers ordering more frequently ~~than~~ than the distributor, ~~the~~
- \rightarrow The retailer's ordering frequency is an integer multiple of the distributor's frequency.
 - \rightarrow For retailer's ordering ~~at~~ less frequently than the distributor, the distributor's ordering frequency is an integer multiple of the retailer's frequency.



If an integer replenishment policy is synchronized across the two stages, the distributor can cross-dock part of its supply on the next stage. All shipments to retailers ordering more frequently than the distributor are cross-docked for retailer ordering more frequently than distributor half the orders are cross-docked, with the other half shipped from inventory.


- \rightarrow Integer ~~math~~ replenishment policies for the supply chain can be summarized as follows.
- ① Divide all parties within a stage into groups such that all parties within a group order from the same supplier and have the same reorder interval.
 - ② Set reorder intervals across stages such that the receipt of a replenishment order at any stage is synchronized with the shipment of a replenishment order to at least one of its customers. The synchronized portion can be cross-docked.

- ③ For customers with a longer reorder interval than the supplier, make the customer's reorder interval an integer multiple of the supplier's interval and synchronize replenishment at the two stages to facilitate cross-docking. In other words, a supplier should cross-dock all orders from customers who reorder less frequently than the supplier himself.
4. For customers with a shorter reorder interval than the supplier, make the supplier's reorder interval an integer multiple of the customer's interval and synchronize replenishment at the two stages to facilitate cross-docking.
5. The relative frequency of reordering depends on the setup cost, holding cost, and demand at different parties.

Integer Replenishment Policies can be synchronized in multiechelon supply chains to keep cycle inventory and order cost low. Under such policies, the reorder interval at any stage is an integer multiple of a base reorder interval. Synchronized integer replenishment policies facilitate a high level cross-docking across the supply chain.

The Role of Safety Inventory in Supply Chain:-

Safety inventory is inventory carried to satisfy demand that exceeds the amount forecasted for a given period. Safety inventory is carried because demand is uncertain and a product shortage may result if actual demand exceeds the forecast demand.



When for any supply chain there are two key questions to consider when planning a safety inventory.

1. What is the appropriate level of safety inventory to carry?
2. What actions can be taken to improve product availability while reducing safety inventory?

→ Gucci, H&M
→ Dell, Compaq
→ Amazon

Determining appropriate level of safety inventory:

Appropriate level of safety inventory is determined by following two factors

1. uncertainty of both demand and supply. ✓
2. desired level of product availability. ✓

As uncertainty of supply or demand grows the required level of safety inventory increases.

ex: Sale's & Palm Personal digital ~~ass~~ assistants at B&M office suppliers.

1. ~~Managing~~ Measuring demand uncertainty. ✓
2. Measuring product availability ✓
 - a) Product fill rate (f_r) ✓
 - b) Order fill rate (c_r) ✓
 - c) cycle service level (CSL) ✓
3. Replenishment Policies ✓
 - a) continuous review ✓
 - b) Periodic review. ✓
4. Evaluating cycle service level (CSL) and fill rate. Given Replenishment Policy.
 - a) evaluating safety inventory given by Replenishment Policy.
 - b) evaluating cycle service level in a given a Replenishment Policy.
 - c) evaluating fill rate given a Replenishment Policy.
5. Evaluating safety inventory given desired cycle service level & fill rate
 - (a) evaluating safety inventory given desired ~~cycle~~ CSL
 - (b) " " " " " " fill rate
6. Impact of desired product availability and uncertainty on safety inventory.

6(a) Reduce supplier's lead time

6(b) Reduce the ^{underlying} uncertainty of demand.

D) Measuring the demand uncertainty:

demand has systematic as well as random component

→ The goal of forecasting is to predict the systematic component and estimate the random component.

The random component is usually estimated as the standard deviation of forecast error.

✓ D = Avg demand / period

✓ σ_D = Standard deviation of demand / period

✓ lead time is the gap b/w when an order is placed and when it is received. In this case uncertainty of demand during its lead time 'L'
✓ → It is denoted the lead time by 'L'

Di. evaluating distribution of demand for K. period

✓ demand for each period i , $i=1, \dots, L$ is normally distributed with mean D_i , standard deviation σ_i

✓ ρ_{ij} : correlation coefficient of demand b/w periods i & j

~~Standard deviation of~~

$$P = D_L = \sum_{i=1}^L D_i \quad \Omega =$$

Total demand ~~is~~ during 'L' periods is normally distributed with a mean 'P' and standard deviation of Ω

$$P = D_L = \sum_{i=1}^L D_i$$

Standard deviation of $\Omega = \sqrt{\sum_{i=1}^L \sigma_i^2 + 2 \sum_{i>j} \rho_{ij} \sigma_i \sigma_j}$

Demand for two periods - +ve correlate $\rho_{ij} = 1$

-ve correlate

$$\rho_{ij} = -1$$

independent

$$\rho_{ij} = 0$$

Assume that demand during each of L periods is independent and normally distributed with a mean of D and standard deviation of σ_D .

Total demand during L periods normal distribution with mean D_L and standard deviation of σ_L .

$$D_L = LD \quad \sigma_L = \sqrt{L} \sigma_D \rightarrow \text{①}$$

→ Another measure of uncertainty is coefficient of variation (CV)

$$CV = \frac{\sigma}{\mu} \quad \begin{array}{l} \text{Standard deviation} \\ \text{mean} \end{array}$$

Co-efficient of variation (CV) measures the size of the uncertainty relative to demand.

② Measuring product availability. → ability to fill a customer's order out of available inventory. A stockout results if a customer's order is not available. Order arrives when product is not available.

Product fill rate (f_r) is the fraction of product demand

that is satisfied from product in inventory.

→ fill rate should be measured over a specified amount of demand rather than time.

→ it is measured fill rate over every million units of demand rather than every month.

* → fill rate is equivalent the probability that product demand is supplied from available inventory.

③ order fill rate: it is the fraction of orders that are filled from available inventory.

→ order fill rate should also be measured over a specified number of orders rather than time.

→ In a multiple product scenario an order is filled from inventory.

→ order fill rate tends to be lower than (e.g. God's, calculator) product fill rates because all products must be in stock for an order to be filled.

Product fill rate (f_r) and order fill rate is usually not significant in a single product situation. when the firm is selling multiple no. of products. Their difference may be significant. 10 products → shipped, an out-of-stock situation. one product is not being filled from stock. The firm in this case may have a poor order fill rate even it has good product fill rate.

(c) Cycle Service Level (CSL):- It is the fraction of replenishment cycles that end with all the customer demand being ~~met~~ met.

- A replenishment cycle is the interval between two successive replenishment deliveries.
- * - The CSL is equal to the probability of not having a stock out in a replenishment cycle.
- CSL can be measured with over a specified number of replenishment cycles.

3. Replenishment Policies:-

A replenishment policy consists of decisions regarding when to reorder and how much to reorder.

These decisions determine the cycle and safety inventory along with the fr and CSL.

→ 2 types

(a) continuous review

(b) periodic review

(a) → Inventory is continuously tracked and an order for a lot size 'a' is placed when the inventory declines to the reorder point (ROP)

- In this case size of order does not change ~~for~~ from one order to the next time b/w orders.

(b) Inventory ~~set~~ status is checked at regular, periodic intervals and an order is placed to raise the inventory level at specified ~~threshold~~ periods.

- In this case time b/w orders is fixed, the size is not fixed.

4. Evaluating cycle service level and Fill Rate given a Replenishment Policy:

✓ In this we restrict our attention to continuous review policy.

→ The replenishment policy consists of a lot size 'a' ordered when the inventory on hand declines to the ~~ROP~~ ROP. Assume that weekly demand is normally distributed with mean D and standard deviation σ_D and that lead time L weeks.

(a) Evaluating safety inventory with given a Replenishment Policy:-

Safety inventory corresponds to the average number of product on hand when a replenishment order arrives.

Given lead time of L weeks
mean weekly demand D .

✓ Expected demand during lead time: ~~D~~ DL ✓

→ ~~Store~~ Store manager places a replenishment order when ~~ROP~~ ROP products are on hand.

$$* \text{ Safety inventory, } SS = \text{ROP} - DL. *$$

(b) Evaluate cycle CSL given Replenishment Policy:-

our goal is to evaluate CSL, Probability of not stocking out in a replenishment cycle.

$$CSL = \text{Prob}(\text{demand during lead time of } L \text{ weeks} \leq \text{ROP})$$

→ lead time L weeks and weekly demand is normally distributed with a mean D and standard deviation σ_D .

→ observe that a stockout occurs in a cycle demand during lead time is larger than ROP.

* Demand during lead time is normal distributed with mean of D_L and standard deviation σ_L from eq. (1).

$$CSL = F(\text{ROP}, D_L, \sigma_L)$$

Evaluating fill rate given a Replenishment Policy:-

~~Our discussion focuses on evaluating fill rate for a firm.~~
Our discussion focuses on evaluating fill rate for a continuous review policy under which 'a' units are ordered when the quantity on hand drops to the ROP.

→ To evaluate the fill rate

→ A stockout occurs if the demand during the lead time exceeds the ROP. We need to evaluate the average amount of demand in excess of the ROP in each replenishment cycle.

→ Expected Shortage / Replenishment cycle (ESC)

$$f_r = 1 - \text{ESC}/a = \frac{(a - \text{ESC})}{a}$$

Let $f(x)$ be the density function of the demand distribution during lead time

$$\text{ESC} = \int_{x=\text{ROP}}^{\infty} (x - \text{ROP}) f(x) dx$$

✓ demand during lead time is normally distributed with mean D_L

Standard deviation σ_L ; Safety Inventory = SS

$$\text{ESC} = -SS \left[1 - F_S \left(\frac{SS}{\sigma_L} \right) + \sigma_L f_S \left(\frac{SS}{\sigma_L} \right) \right]$$

✓ F_S = standard normal cumulative distribution function

✓ f_S = " " density function.

$$\text{ESC} = -SS \left[1 - \text{NORMDIST} \left(\frac{SS}{\sigma_L}, 0, 1, 1 \right) \right] + \sigma_L \text{NORMDIST} \left(\frac{SS}{\sigma_L}, 0, 1, 0 \right)$$

Excel equality.

Key Point: Both fill rate and cycle service level increase as the safety inventory is increased. For the same safety inventory an increase in lot size increases the fill rate but the cycle service level.

5. Evaluating Safety Inventory Given desired cycle Service level & Fill Rate: ^(CSL)

Firm have a desired level of product availability and want to design replenishment policies that achieve this level.

ex: wal-mart has a desired level of product availability for each product sold in a store. The store manager must design a replenishment policy with the appropriate level of safety inventory to meet this goal.

(a) Evaluating Required Safety Inventory given desired cycle Service level.

our goal is to obtain the appropriate level of safety inventory given the desired CSL. we assume that continuous review replacement policy is followed.

ex: Consider a ~~wal-mart~~ ^{wal-mart} store manager at wal-mart responsible for designing replenishment policies for all products in the stores.
 → The store manager wants to identify a suitable ROP and safety inventory to achieve the desired CSL.

Desired service level = CSL ← Find

Mean demand during lead time: D_L

Standard deviation of demand during lead time: σ_L

$$ROP = D_L + SS$$

SS = safety inventory.

Probability (demand during lead-time $\leq D_L + SS$) = CSL

$$F(D_L + SS, D_L, \sigma_L) = CSL$$

$$D_L + SS = F^{-1}(CSL; D_L, \sigma_L)$$

$$SS = F^{-1}(CSL, D_L, \sigma_L) - D_L$$

$$SS = F_s^{-1}(CSL) \times \sigma_L$$

5(b) Evaluating Required Safety Inventory Given Desired Fill Rate :-

~~We now~~ evaluate the required safety inventory given a desired fill rate (f_r) and the fact that a continuous review replenishment policy is followed. ~~For~~ consider a store manager at a mall targeting a fill rate of f_r .

→ The current Replenishment lot size is Q first step is to obtain the expected shortage per replenishment cycle (ESC)

~~Expected shortage per Replenishment cycle = ES~~

$$ESC = (1 - f_r)Q$$

~~Safety inventory, SS~~

$$ESC = -SS \left[1 - F_s\left(\frac{SS}{\sigma_L}\right) + \sigma_L f_s\left(\frac{SS}{\sigma_L}\right) \right]$$

6) Impact of Desired Product availability and uncertainty on safety inventory :-

As desired product availability goes up, the required safety inventory also increases. because the supply chain must be now be able to accommodate ~~the~~ uncommonly high demand & uncommonly low supply.

① ~~The~~ goal of supply chain manager is to reduce the level of safety inventory required in a way that does not adversely affect ~~the~~ product availability.

② ~~The~~ required safety inventory grows rapidly with an increase in the desired product availability.

③ ~~The~~ required safety inventory increases with an increase in the lead time and the standard deviation of periodic demand.

1. Reduce the Supplier Lead time L :

If lead time decreases by a factor of k the required safety inventory decreases by a factor of \sqrt{k} . Reducing the supplier lead time requires significant effort from the supplier, where a ~~that~~ reduction in safety inventory occurs at the retailer.

⇒

- The benefit has manifested itself in the form of reduced safety inventory.

Ex: seven-eleven sales, transmits presence of suppliers to reduce the leadtime.

2. Reduce the underlying uncertainty of demand (σ_D):

if σ_D is reduced by a factor of k , the required safety inventory also decreases by a factor of k .

The reduction in σ_D may be achieved by better market intelligence and the use of more sophisticated forecasting methods.

→ This market intelligence allows the store manager to make better forecasts, reducing uncertainty. In most supply chains

→ The key to reducing the uncertainty is to link all forecasts to the underlying forecast.

Throughout the supply chain to customer demand data. A lot of the demand uncertainty exists only because each stage of supply chain plans and forecasts independently.

This distorts demand throughout the supply chain, increasing uncertainty. Improved coordination.

The importance of the level of product availability:-

The ~~best~~ level of product availability is measured using the cycle service level & the fill rate, which are metrics for the amount of customer demand satisfied from available inventory.

The level of product availability, also referred to as the customer service level, is one of the primary measures of a supply chain's responsiveness. A supply chain can use a high level of product availability to improve its responsiveness and attract customers. This is increasing revenue for the supply chain. However, high level of product ~~availability~~ availability requires large inventories, which raises supply chain costs.

∴ The supply chain must achieve a balance between the level of availability and the cost of inventory. The optimal level of product availability is one that can maximize supply chain profitability.

cost of overstocking
The P

Factors Affecting optimal level of product availability:-

- ① cost of overstocking the product
- ② cost of understocking the product.

For the optimal level of product availability, consider L.L. Bean, a large main-street company that sells apparel. one of the products L.L. Bean sells is ski jackets. The selling season for ski jackets is from November to February. The buyer at L.L. Bean currently purchases the entire season's supply of ski jackets from the manufacturer before the start of the selling season. Providing high level of product availability requires the purchase of a large number of jackets.

Although a high level of product availability is likely to satisfy all demand that arises, it is also likely to result in a large number of unsold jackets at the end of the season, with L.L. Bean losing money on unsold jackets.

In contrast, a low level of product availability is likely to result in few unsold jackets. However, it is quite likely that L.L. Bean will have to turn away customers willing to buy jackets because they are sold out in this scenario. L.L. Bean loses potential profit by losing customers.

→ The buyer at L.L. Bean must balance the loss from having too many unsold jackets and the lost profit from turning away customers. When deciding the level of product availability

→ cost of overstocking = C_o

~~cost of holding~~

cost of understocking = C_u

These two key factors that influence the optimal level of product availability are

1. cost of overstocking the product
2. cost of understocking the product

L.L. Bean has a buying committee that decides on the quality of each product to be entered. Based on demand over the past few years.

P_i is the probability that demand equals D_i

$P_i <$ is the probability that demand is less than or equal to D_i

$$\text{Expected demand} = \sum D_i P_i = 1,026$$

Table 1

Demand distributions for Parkas at L.L. Bean

Demand D_i (i)	Probability (P_i)	cumulative Probability of demand Being D_i or less (P_i)	Probability of demand Being Greater than D_i
4	0.01	0.01	0.99
5	0.02	0.03	0.97
6	0.04	0.07	0.93
7	0.08	0.15	0.85
8	0.09	0.24	0.76
9	0.11	0.35	0.65
10	0.16	0.51	0.49
11	0.20	0.71	0.29
12	0.11	0.82	0.18
13	0.10	0.92	0.08
14	0.02	0.96	0.04
15	0.02	0.98	0.02
16	0.01	0.99	0.01
17	0.01	1.00	0.00

under the old policy of ordering the expected value.
The buyer ~~the~~ ^{would have} ~~has to~~ ordered 1000 Parkas.

from table demand will be to 51% probability that demand will be 1000 or less.

The policy of ordering 1000 ~~ordering~~ parkas results in cycle service level of 51% at L.L. Bean.

→ Buyer committee ~~has~~ must decide an order size & CSL that maximize the profits.

~~each Parkas cost (c) = 45~~

each Parkas costs L.L. Bean (c) = \$45 is priced in the catalog at $P = \$100$.

any unsold parkas at the end of the season are sold at the outlet store for \$50.

Holding ~~the~~ the parka in inventory and transporting it to the outlet store costs L.L. Bean \$10. Thus L.L. Bean recovers a salvage value of $s = \$40$.

Each parka, it sells ~~and incurs~~ is unsold at the end of the season. L.L. Bean makes a profit of $P - C = \$55$ on each parka it sells and incurs a loss of $C - S = \$5$ on each unsold parka. That it send to outlet let store

expected profit from ordering a thousand parkas.

$$\begin{aligned} &= \sum_{i=4}^{10} \left[D_i (P - C) - (1000 - D_i) (C - S) \right] P_i \\ &\quad + \sum_{i=11}^{17} 1000 (P - C) P_i \\ &= \$49,900 \end{aligned}$$


CSL = The Probability that there will be no stockout during a cycle

Item Fill Rate (Fr) The proportion of total demand met with available inventory

$$CSL = 1 - \alpha$$

α = Probability of stock out during a cycle

ex: if $\alpha = 5\%$, $CSL = 95\%$



Product A

No of stock outs = 3, No of cycles = 12

CSL = Probability of no stock out in cycle = $\frac{9}{12} = 75\%$

total demand = 1900 units Total supply = 1820 units

Fill Rate = Proportion of total demand met = $\frac{1820}{1900} = 95.79\%$

To decide whether to order 1,100 Parkas, the buying committee must determine the impact of buying the extra 100 units

if 1,100 Parkas are ~~ordered~~ ordered, the extra 100 is sold.

(for a profit of 5,500) if demand is 1,100 or higher, otherwise the extra 100 units are sent to the outlet stores at a loss of 500. from the table we see that there is a probability of 0.49 the demand is 1,100 or higher, and a 0.51 probability that demand is 1000 or less. we deduce the following.

Expected Profit from the extra 100 Parkas:

$$\begin{aligned}
 &= 5,500 \times \text{Prob}(\text{demand} \geq 1,100) - 500 \times \text{Prob}(\text{demand} \leq 1,100) \\
 &= 5,500 \times 0.49 - 500 \times 0.51 \\
 &= 2,440
 \end{aligned}$$

Total expected profit from ordering 1,100 Parkas is thus 52,340.

Expected Marginal contribution of each additional 100 Parkas:-

Additional 100's Hundred's	Expected Marginal Benefit	Expected Marginal cost	Expected marginal contribution
11.	$5,500 \times 0.49 = 2695$	$500 \times 0.51 = 255$	$2695 - 255 = 2440$
12	$5,500 \times 0.29 = 1595$	$500 \times 0.71 = 355$	$1595 - 355 = 1240$
13	$5,500 \times 0.18 = 990$	$500 \times 0.82 = 410$	$990 - 410 = 580$
14	$5,500 \times 0.08 = 440$	$500 \times 0.92 = 460$	$440 - 460 = -20$
15	$5,500 \times 0.04 = 220$	$500 \times 0.96 = 480$	$220 - 480 = -260$
16	$5500 \times 0.02 = 110$	$500 \times 0.98 = 490$	$110 - 490 = -380$
17.	$5500 \times 0.01 = 55$	$500 \times 0.99 = 495$	$55 - 495 = -440$

from the table

The expected marginal contribution is +ve up to 1,300 Parkas.

but it is -ve from that point on thus the optimal order size is


1300 Parkas.

Expected profit from ordering 1300 Parkas = ~~49,900~~ + 2440

$$49,900 + 2,440 + 1,240 + 580 = 54,160.$$

The optimal order quantity is 1,300 Parkas, which provides, which provides a CSL of 92 Percent.

Expected Profit at L.L. Bean's



~~L.L. Bean achieves fill rate of 100%.~~
is much higher.

→ If demand is over 1,300, part of demand ($D - 1300$) is not satisfied. In this case a fill rate of $1300/D$ is achieved.

$$f_f = 1 \times \text{Prob}(\text{demand} \leq 1300) + \sum_{D_i > 1300} (1,300/D_i) P_i$$

$$= 0.99$$

Optimum Level of Product Availability

1. Optimal cycle service level for seasonal items with a single order in a season.
2. one-time orders in the presence of quantity discounts
3. Desired cycle service level for continuously stocked items.
4. Demand during stockout is backlogged.

1. Optimal cycle service level for seasonal items with a single order in a season.!

2.

In this section we focus attention on seasonal products such as ski jackets, for which all leftover items must be disposed of at the end of the season. The assumption is that the leftover items from the previous season are not used to satisfy demand for the current season.

P = Retail price/unit

C = cost/unit

S = Salvage value *

C_o = cost of overstocking by one unit = $c - s$

C_u = cost of understocking by one unit = $p - c$

CSL = optimal cycle service level

Q^* = corresponding optimal order size

→ CSL is the probability that demand during season will be at or below Q^*

At the optimal cycle service level CSL* the marginal contribution of purchasing an additional unit is zero.

If order quantity is raised from Q^* to $Q^* + 1$, the additional unit sells if demand is larger than Q^* . This occurs with probability $1 - \text{CSL}^*$ and results in a contribution of $p - c$

$$\text{Expected benefit of purchasing extra unit} = (1 - \text{CSL}^*)(p - c)$$

→ The additional unit remains unsold if demand is at or below Q^*

⊙ This occurs with probability CSL* and results in a cost of $c - s$

$$\text{Expected cost of purchasing extra unit} = \text{CSL}^*(c - s)$$

→ The expected marginal contribution of raising the order size from Q to $Q + 1$ is given by

$$(1 - \text{CSL})(p - c) - \text{CSL}(c - s)$$

→ Expected marginal contribution must be '0' at the optimal cycle service level.

$$\text{CSL}^* = \text{Prob}(\text{Demand} \leq Q^*) = \frac{p - c}{p - s} = \frac{C_u}{C_u + C_o} = \frac{1}{1 + (C_o/C_u)} \rightarrow \textcircled{1}$$

$$Q^* = F^{-1}(\text{CSL}, \mu, \sigma) = \text{NORMINV}(\text{CSL}, \mu, \sigma) \rightarrow \textcircled{2}$$

The optimal order quantity maximizes firm's profit. If demand during the season is normally distributed, with a mean of μ and a standard deviation of σ . The optimal order quantity is given by.

$$\begin{aligned} \text{Expected Profit} &= (p - s) \mu F_s\left(\frac{Q - \mu}{\sigma}\right) - (p - s) \sigma f_s\left(\frac{Q - \mu}{\sigma}\right) - Q(c - s) F(Q, \mu, \sigma) + Q(p - c) [1 - F(Q, \mu, \sigma)] \end{aligned}$$

→ demand is normally distributed with mean μ , standard deviation σ - expected profit from ordering Q units

$$\text{Expected Profit} = (p - s) \mu \text{NORMDIST}((Q - \mu) / \sigma, 0, 1, 1) -$$

$$- (p - s) \sigma \text{NORMDIST}((Q - \mu) / \sigma, 0, 1, 0)$$

$$- Q(c - s) \text{NORMDIST}(Q, \mu, \sigma, 1)$$

$$+ Q(p - c) [1 - \text{NORMDIST}(Q, \mu, \sigma, 1)] \rightarrow \textcircled{3}$$

Ex: The manager at ~~the~~ Sportmart, a sporting goods store, has to decide on the number of skis to purchase for the year. Management has to forecast demand to be normally distributed, with a mean of $\mu = 350$ and standard deviation of $\sigma = 100$. Each pair of skis costs $c = \text{Rs } 100$ and retails for $p = \text{Rs } 250$. Any unsold skis at the end of the season are disposed of for $\text{Rs } 85$. Assume that it costs $\text{Rs } 5$ to hold a pair of skis in inventory for the season. How many skis should the manager order to maximize expected profit?

Sol: Salvage value $s = 85 - 5 = \text{Rs } 80$.

Cost of understocking $= c_u = p - c = 250 - 100 = 150$.

Cost of overstocking $= c_o = c - s = 100 - 80 = 20$.

$$CSL = \text{Prob}(\text{Demand} \leq Q) = \frac{c_u}{c_u + c_o} = \frac{150}{150 + 20} = 0.88.$$

Optimal order size is

$$Q^* = \text{NORMINV}(CSL, \mu, \sigma)$$

$$= \text{NORMINV}(0.88, 350, 100) = 468.$$

It is optimal for the manager at Sportmart to order 468 pairs of skis even though the expected number of sales is 350.

In this case ~~is~~.

The cost of understocking is much higher than the cost of overstocking; manager is better off ordering more than the expected value to cover for the uncertainty of demand.

$$\text{Expected Profit} = (p - s) \mu \text{NORMDIST}((Q - \mu) / \sigma, 0, 1, 1)$$

$$- (p - s) \sigma \text{NORMDIST}((Q - \mu) / \sigma, 0, 1, 0)$$

$$- Q(c - s) \text{NORMDIST}(Q^*, \mu, \sigma, 1)$$

$$+ Q(p - c) [1 - \text{NORMDIST}(Q^*, \mu, \sigma, 1)]$$

$$= 59,500 \text{NORMDIST}((Q^* - \mu) / \sigma, 0, 1, 1) - (p - s)$$

$$= 59,500 \text{NORMDIST}(1.18, 0, 1, 1) - 17,000 \text{NORMDIST}(1.18, 0, 1, 0)$$

$$- 9,360 \text{NORMDIST}(\frac{468 - 350}{100}, 0, 1, 0) (468, 350, 100, 1) +$$

$$70,200 [1 - \text{NORMDIST}(468, 350, 100, 1)]$$

$$= 8,49,146$$

The expected profit of ordering 350 pairs of skirts can be evaluated as ₹ 45,718. Thus, ordering 468 pairs results in an expected profit that is almost 8% higher than the profit obtained from ordering the expected value of 350 pairs.

— x —

When 0 units are ~~ordered~~ ordered, a firm is left with either too much or too little inventory, depending on demand. When the demand is normally distributed with expected value μ and standard deviation σ :

$$\text{Expected overstock} = (o - \mu) F_s\left(\frac{o - \mu}{\sigma}\right) + \sigma f_s\left(\frac{o - \mu}{\sigma}\right)$$

The following formula can be evaluated using Excel as follows:

$$\text{Expected overstock} = (o - \mu) \text{NORMDIST}((o - \mu) / \sigma, 0, 1, 1) + \sigma \text{NORMDIST}((o - \mu) / \sigma, 0, 1, 0)$$

The expected quantity understocked at the end of the season:

$$\text{Expected understock} = (\mu - o) \left[1 - F_s\left(\frac{o - \mu}{\sigma}\right) \right] + \sigma F_s\left(\frac{o - \mu}{\sigma}\right)$$

The formula can be evaluated using Excel:

$$\text{Expected understock} = (\mu - o) \left[1 - \text{NORMDIST}((o - \mu) / \sigma, 0, 1, 1) \right] + \sigma \text{NORMDIST}((o - \mu) / \sigma, 0, 1, 0)$$

① One-time orders in the presence of quantity discounts:-

A buyer who has to make a single order when the seller offers a price discount based on the quantity purchased. Such a situation may arise in the context of seasonal items such as apparel, for which the manufacturer offers a lower price per unit if order quantities exceed a given threshold. Such decisions also arise at the end of the life cycle for a product or spare parts. Future demand for the product or spare parts is uncertain, and the buyer has a single opportunity to order. The buyer must account for the discount when selecting the order size.

consider a retailer of spare parts who has one last chance to order parts before manufacturer stop's production. The part has a retail price of per unit of P , a cost to the retailer (without discount) of c , and a salvage value of s . The manufacturer has offered a discounted price of c_d if the retailer orders at least K units. The retailer can make its order size decision using following steps.

- Using $C_o = c - s$ and $C_u = P - c$ evaluate the optimal cycle service level $C_u \rightarrow P - c$ and order size O^* without discount. (previous model is suitable) ev. ① ② ③
- $C_o = c_d - s$ and $C_u = P - c_d$ evaluate the optimal cycle service level CSL_d^* and order size O_d^* with a discount using (previous model ^{ev} ① ②)
 - if $O_d^* \geq K$ evaluate the expected profit from ordering O_d^* units ~~O_d^*~~ using ev. ③.
 - if $O_d^* < K$ evaluate the expected profit from ordering K units using ev. ③.
- Order O^* units if the profit in step-1 is higher. If the profit in step-2 is higher. Order O_d^* units if $O_d^* \geq K$, or K units if $O_d^* < K$.

ex: Spares RV's, an auto parts retailer, must decide on the order size for a 20 year-old model of brakes. The manufacturer plans to discontinue production of these brakes after this last production run. Spares RV's has forecast remaining demand for the brakes to be normally distributed with a mean of 150 and standard deviation of 40. The brakes have a retail price of Rs 200 any unsold brakes are useless and have no salvage value. The manufacturer plans to sell each brake for Rs 50 if the order is for less than 200 brakes and Rs 15 if the order is for at least 200 brakes. How many brakes should Spares RV's order?

sol: first step is to calculate the optimal order quantity without discount

cost of understating understocking $c_u = P - C$
 $= 200 - 50 = 150.$

cost of overstocking $c_o = C - S = 50 - 0 = 50.$

$CSL^* = \text{Prob}(\text{demand} \leq R^*) = \frac{c_u}{c_u + c_o} = \frac{150}{150 + 50} = 0.75$

$Q^* = \text{NORMINV}(CSL^*, \mu, \sigma) = \text{NORMINV}(0.75, 150, 40) = 177.$

expected profit from ordering 177 units = Rs 17,958 from eq (3)

Consider the discount

cost of understocking = $c_u = P - C_d = \text{Rs } 200 - 45 = 155$

cost of overstocking = $c_o = C_d - C = 45 - 0 = 45$

$CSL_d^* = \text{Prob}(\text{Demand} \leq R^*) = \frac{c_u}{c_u + c_o} = \frac{155}{155 + 45} = 0.775$

$Q_d^* = \text{NORMINV}(CSL_d^*, \mu, \sigma) = \text{NORMINV}(0.775, 150, 40)$
 $= 180$

$180 < 200$ The retailer must order at least 200 brakers to benefit from the discount.

calculate the expected profit from ordering 200 units at 45 each
 $= \text{Rs } 20,595$

③ Desired cycle service level for continuously stocked items:-

In this section, we focus on products such as detergent's that are ordered repeatedly by a retail store such as wall-mart. wall-mart uses safety inventory to increase the level of availability and decrease the probability of stocking out between successive deliveries. If detergent is left over in a replenishment cycle, it can be sold in the next cycle. It does not have to be disposed of at a lower cost. Holding cost is increased, as the product is carried from one cycle to the next.

Two extreme scenarios should be considered.

1. All demand that arises when the product is out of stock is backlogged and filled later, when inventories are replenished.
2. All demand arising when the product is out of stock is lost.

We assume that demand/unit is normally distributed, along with the following inputs.

Q : Replenishment lot size

S : Fixed cost associated with each order.

~~ROP = Reo~~

D : Average demand/unit time

σ : Standard deviation of demand/unit time

$SS = ROP - D_L$

c = unit cost

h = Holding cost as a fraction of product cost/unit time

H = cost of holding one unit for one unit of time.

$H = hc$

(4) Demand during stockout is Backlogged:-

In this case all demand arising when the product is out of stock is backlogged. Because no demand is lost, minimizing costs becomes equivalent to maximizing profits.

at walk-mart store selling detergent, the store manager offers a discount of c_u to each customer wanting to buy detergent when it is out of stock. This ensures that all these customers return when inventory is replenished.

If the store manager increases the level of safety inventory, more orders are satisfied from stock. This ensures that all the customers return when inventory is replenished.

$$CSL = 1 - \frac{H\sigma}{DCu}$$

σ_L = Standard deviation during lead time



Q = lot size.

The required safety inventory is given by: $SS = F_0^{-1}(CSL) \times \sigma_L$

Demand during stock out is lost:-

In this case in which unfilled demand during the stockout period is lost, the optimal cycle service level.

$$CSL = 1 - \frac{H\sigma}{H\sigma + DCu}$$

cu is the cost of losing one unit of demand during the stockout period.

— Managerial

→ Managerial levers to improve supply chain profitability


The cost of overstocking and understocking have a direct impact on both the optimal cycle service level and profitability.

Two obvious managerial levers to increase profitability

1. Increase the salvage value of each unit increases profitability (as well as the optimal cycle service level)
2. Decrease the margin lost from a stockout increases profitability (as well as the optimal cycle service level)

Optimum CSL is a function of the ratio of the cost of overstocking and the cost of understocking.

objective that as this ratio gets smaller, the optimal level of product availability increases. This fact explains the difference in the level of product availability b/w a high-end store.



→ Another significant managerial lever to improve supply chain profitability is the reduction of demand uncertainty. With reduced demand uncertainty, a supply chain manager can better match supply and demand by reducing both over- and understocking.

→ A manager can reduce demand uncertainty via the following means.

1. Improved forecasting: use better market intelligence and collaboration to reduce demand uncertainty.

2. Quick response: Reduce replenishment lead time so that multiple orders may be placed in the selling season.

3. Postponement: In a multiproduct setting, postpone product differentiation until closer to the point of sale.

4. Tailored sourcing: → allows the firm to increase its profits better by a lower level of matching with supply and demand. value of T. service depends on the reduction in cost. Use a low lead-time, but perhaps an expensive supplier as a backup for a low-cost but perhaps long-lead-time supplier.

Volume based tailored } focusing on cost but unable to handle uncertainty well,
 Product, " } and the other focusing on flexibility to handle uncertainty but at a higher cost. μ


A tailored sourcing to be effective, having supply sources must focus on different capabilities. The low cost sourcing

① Improved forecasts:- Impact on Profit & Inventories:-

companies have tried to better understand their customers and coordinate actions with in a supply chain, to improve forecast accuracy. The use of demand planning information system, has also helped in this regard.

We show

that the improved forecast accuracy can be help to a firm, significant increase its profitability while decreasing the excess inventory overstocked as well as the sales lost because of understocking.



② Quick Response:-

consider a buyer at Bloomingdale's who is responsible for purchasing dinnerware with Christmas gift.

③ Quick Response:-

quick response is the set of actions a supply chain takes to reduce the replenishment lead time. Supply chain managers are able to improve their lead time, forecast accuracy as lead times decrease, which allow's them to better match supply with demand and increase supply chain profitability.



Before the start of the sales season, the buyer forecast weekly demand to be normally distributed with a mean of μ and standard deviation σ . We compare the impact of the following two ordering policies.

1. A single order must be placed at the beginning of the season to cover the entire season's demand

18/1/15 A/S

1, 4, 5, 8, 11, 13, 14, 16, 18, 19, 22, 26, 27, 29, 30, 37, 38, 42,
45, 46, 49, 50, 51, 52, 53, 55, 1, 7, 9 - 9

2. Two orders are placed for the season, one to be delivered at the beginning of the season and other to be delivered at the middle of season.



It quick response allow's multiple orders in the season, Profit's increases and overstock quantity decreases.

Postponement

Postponement refers to the delay of product-difference differentiation until closer to the sale of the product.

With postponement, all activities prior to product differentiation require aggregate forecasts. That are more accurate than individual product forecast.

Individual product forecasts are required close to the time of sale when demand is known with greater accuracy.

As a result, Postponement allow's a supply chain to better match supply with demand. Postponement can be a powerful managerial lever to increase the profitability.

UNIT-IV
Managing economies of scale in a S.C:
cycle inventory.


cycle inventory exist because producing or purchasing in a large lot's allow's a stage of the supply chain to exploit economies of scale and thus lower cost.

Like The presence of fixed costs associated with ordering and transportation, quantity discounts in product pricing, and short-term discounts or trade promotion's encourages different stages of a supply chain to exploit economies of scale. and ordering in large lot's.

our goal is to identify managerial level's that reduce cycle inventory in a supply chain without raising cost.

The Role of cycle inventory in a supply chain:-

- ✓ a lot or batch size: is the quantity that a stage of a supply chain either produces or purchases at a time. (ex- printer's)
- ✓ cycle inventory is the average inventory in a supply chain due to either production or purchases in lot sizes that are larger than those demanded by the customer.



Q = quantity in a lot or batch size
 D = Demand per unit time

[Ex- Inventory of ~~Jeans~~ Jean-Mart; a department store $D = 100$ Pairs/day
 Store Manager currently purchase's lot size $Q = 1000$ Pairs.

- ⇒ $Q = 1000$ units, $D = 100$ Pairs/day ⇒ it takes 10 days for an entire lot to be sold.
- ⇒ Jean Mart declines steadily for 1000 units to 0 units. This source of a lot

arriving and demand depleting inventory until another lot arrives repeatedly it felt every 10 days.]

✓ ⇒ When demand is steady; cycle inventory and lot size are related as follows.

$$\checkmark \frac{\text{cycle inventory}}{\text{avg Inventory}} = \frac{\text{lot size}}{2} = \frac{Q}{2} \quad \therefore \text{cycle inventory} \propto \text{lot size}$$

$$\text{[ex: } Q = 1000, \text{ units, } \Rightarrow \text{ cycle inventory} = \frac{1000}{2} = 500 \text{ units}]$$

⇒ lot size and cycle inventory also influence the flow time of material within the supply chain. [Little's law = $I = DT$]

$$\checkmark \text{Avg flow time} = \frac{\text{average inventory}}{\text{average flow rate (Demand)}}$$

for any inventory avg flow rate = Demand

$$\Rightarrow \text{Avg flow time resulting from cycle inventory} = \frac{\text{cycle inventory}}{\text{Demand}} = \frac{Q}{2D}$$

$$\text{ex: lot size} = 1000 \text{ pairs, and demand } 100, \text{ pairs} = \frac{Q}{2D} = \frac{1000}{2 \times 100} = 5 \text{ days}$$

⇒ avg price paid/unit purchased is a key cost in the lot sizing decision.

A buyer may increase the lot size if this action results in a reduction in the price paid per unit purchased.

✓ - The price paid/unit is referred to as the Material cost and is denoted by 'c'.

⇒ The fixed ordering cost includes all costs that do not vary with the size of the order but are incurred each time an order is placed. There may be a fixed administrative cost to place an order, a trucking cost to transport the order, and a labour cost to receive the order.

- Fixed ordering cost/lot or batch is denoted by 'S' ✓ is measured in £/lot. Ordering cost also displays economics of scale and ~~increases~~ decreases by lot increasing the lot size decreases the fixed ordering cost/unit purchased.

②

Holding cost is the cost of carrying one unit in inventory for a specified period of time usually one year. It is a combination of the cost of capital; the cost of physical storage the inventory and the cost that results from the product becoming obsolete.

Holding cost is denoted by H is measured in ₹/unit/year.

It is also denoted as a fraction h of the unit cost of the product; given a unit cost of c ; The Holding cost H is given by

$$H = hc$$

Total holding cost ~~is~~ increases with an increase in lot size and

cycle inventory. unit time D (or) R

⇒ Demand per unit time D (or) R

⇒ Quantity in a lot or Batch size Q

⇒ Average Price/unit Purchased, ₹ c /unit.

⇒ Fixed ordering cost incurred/lot, ₹ S /lot (C_3)

⇒ Holding cost incurred/unit/year, ₹ H /unit/year = hc (C_1)

② stage of

Any supply chain exploits economies of scale in its replenishment decisions* in the following three typical situations.

- ① Fixed cost is incurred each time an order is placed or produced.
- ② Supplier offers price discounts on the quantity purchased at lot.
- ③ The supplier offers short-term price discounts & holds trade promotions.

① Lot Size for a single product (EOQ)

D = Annual Demand for the product

(C_3) S = Fixed cost incurred per order.

c = cost/unit

(C_1) h = Holding cost/year as a fraction of product cost.

* Purchasing Manager. Makes the lot sizing decision to minimize the total cost the store incurs. He must consider the three costs when deciding on the lot size.

- Annual Material cost
- Annual order cost
- Annual holding cost

⇒ Because Purchase Price is independent of lot size, we have

$$\text{Annual Material cost} = CD$$

⇒ The number of orders must suffice to meet the annual demand 'D'

Given a lot size of 'a'

$$n = \text{No. of orders/year} = \frac{D}{a}$$

⇒ Ordering cost 'S' is incurred for each order placed.


$$\text{Annual order cost} = \left(\frac{D}{a}\right) S \text{ (or)} C_3$$

⇒ Given a lot size of 'a', we have an average inventory of $a/2$. The annual holding cost is thus the cost of holding $a/2$ units in inventory for one year and is given as:

$$\begin{aligned} \text{Annual Holding cost} &= \left(\frac{a}{2}\right) H \text{ (or)} \frac{a}{2} C_1 \\ &= \left(\frac{a}{2}\right) hc \end{aligned}$$

⇒ Total annual cost: TC, is the sum of all three costs.

$$\text{Total annual cost, } TC = CD + \left(\frac{D}{a}\right) S \text{ (or)} C_3 + \left(\frac{a}{2}\right) hc \text{ (or)} C_1$$



→ From the fig: annual holding cost ↑ with an ↑ in lot size.

→ The annual ~~order~~ ~~holding~~ ordering cost ↓ with an increase in lot size.

⇒ The material cost is independent of lot size.

→ Total annual cost thus first declines and then increases with an increase in lot size.

EOQ is denoted as a^*

$$a^* = \sqrt{\frac{2DS}{hc}} \quad \text{(or)} \quad \sqrt{\frac{2RC_3}{C_1}}$$

∴ cycle inventory in the system = $\frac{Q^*}{2}$

∴ flow time spent by each unit in the system = $\frac{Q^*}{2D}$ (or) $\frac{\text{cycle inventory}}{D}$

⇒ optimum order frequency $n^* = \frac{D}{Q^*} = \frac{D}{\sqrt{\frac{Dhc}{2DS}}} \Rightarrow \sqrt{\frac{Dhc}{2S}}$

Ex:- Demand for The Desktop computer at Best Buy is 1,000 units/month. Best Buy incurs a fixed order placement, transportation, and receiving cost of ₹ 4,000 each time an order is placed. each computer costs Best buy ₹ 500 and the retailer has holding cost of 20%. evaluate the number of computers that the store manager should order in each replenishment lot.

Sol:- Annual demand, $D = 1,000 \times 12 = 12,000$ units. = (R)
order cost/lot, $S = ₹ 4,000$ = (C₃)
unit cost/computer; $c = ₹ 500 = c$
Holding cost/year, as a fraction of inventory value, $h = 0.2$ $C_1 = h \times c = 0.2 \times 500 = 100$

EOQ = $Q^* = \sqrt{\frac{2 \times 12,000 \times 4,000}{0.2 \times 500}} = 980$

To minimize the total cost at Best Buy, the store manager orders a lot size of 980 computers for each replenishment lot order.

Cycle Inventory = $\frac{Q^*}{2} = \frac{980}{2} = 490$

No. of orders/year = $\frac{D}{Q^*} = \frac{12,000}{980} = 12.24$

Annual ordering and holding cost = $\frac{D}{Q^*} \cdot S + \left(\frac{Q^*}{2}\right) hc$
 $= \frac{12,000}{980} \times 4,000 + \left(\frac{980}{2}\right) 0.2 \times 500$
 $= ₹ 77,980$

Avg flow time = $\frac{Q^*}{2D} \Rightarrow \frac{490}{12,000} \Rightarrow 0.041 \text{ year} = 0.49 \text{ /month}$

- { ② Aggregating Multiple Products in a single order.
- { ③ Lot sizing with Multiple Products & customers.

EOQ to exploit: quantity discounts

② Economies of Scale to exploit quantity discounts:-

Two commonly used lot-size-based discount schedules.

1. All unit quantity discounts.
2. Marginal unit quantity discount & multiblock tariffs.

In this ~~section~~ section we investigate the impact of such quantity discounts on the supply chain. We must answer the following two basic ~~and~~ questions in this context.

- a. Given a pricing schedule with quantity discounts, what is the optimal purchasing decision for a buyer. Seeking to maximize profits? How does this decision affect the supply chain in terms of lot sizes, cycle inventory, and flow times.
- b. Under what conditions should a supplier offer quantity discounts?

① All-unit quantity discounts:


In all unit quantity discounts, the pricing schedule contains specified break points, q_0, q_1, \dots, q_r where $q_0 = 0$,

→ where an order placed is at least as large as q_i but smaller than q_{i+1} .

→ each unit is obtained at a cost of c_i , in general, the unit cost decreases as the quantity ordered increases. i.e. $c_0 \geq c_1 \geq \dots \geq c_r$

→ The retailer's objective is to ~~maximize profits~~, Maximize Profit & equivalently to minimize the sum of material, order, holding costs

$$Q_i = \sqrt{\frac{2DS c_0}{h c_i}}$$



- (i) $q_i \leq Q_i \leq q_{i+1}$
 (ii) $Q_i < q_i$
 (iii) $Q_i \geq q_{i+1}$

Case (i)

$q_i \leq Q_i < q_{i+1}$, Then a lot size Q_i units will result in the discounted price of c_i per unit.

$$\text{Total annual cost } TC_i = \left(\frac{D}{Q_i} \right) S + \frac{Q_i}{2} h c_i + D C_i$$

Case (ii)

$Q_i < q_i$, Then a lot size of Q_i does not result in a discount.

Raising the lot size to q_i units results in the discounted price c_i /unit.

$$TC_i = \left(\frac{D}{q_i} \right) S + \frac{q_i}{2} h c_i + D C_i$$

② Marginal unit quantity discount!


Marginal unit quantity discounts are also referred to as Multi-block tariffs

In this case, the pricing schedule contains specified break points q_0, q_1, \dots, q_r . It is not the average cost of a unit but the marginal cost of a unit that decreases at the break point. $\$ i$

\Rightarrow If an order size is 'a' is placed, the first $q_1 - q_0$ units are

Priced at c_0 Then $q_2 - q_1$ are priced at c_1 ---

→ The marginal cost/unit varies with the quantity purchased.



The retailer's objective is to decide on a lot size that maximizes profits (or equivalently, minimizes material, order and holding costs).

③ Short-Term discounting Trade Promotions (Forward buy)


The goal of trade promotions is to influence retailers to act in a way that helps the manufacturer achieve its objectives.

few key goals:

- ① Induce retailers to use price discounts, displays, advertising to spur sales.
- ② Shift inventory from the manufacturer to the retailer and customer.
- ③ Defend a brand against competition.

* our goal in this section is to investigate the impact of a trade promotion on the behavior of the retailer and the performance of the entire supply chain.

Forward buying occurs when a retailer purchases in the promotional period for sales in future periods. A forward buy helps reduce the retailer's ~~to~~ further cost of goods for product sold after promotional period. Although a forward buy is often ~~a~~ the retailer's appropriate response to a price promotion.



* it usually increases demand variability with the resulting increase in inventory and flow time within the supply chain. It can decrease supply chain profits.

$$q^* = \sqrt{\frac{2DS}{hc}} ; q^d = \frac{dD}{(c-d)h} + \frac{c\alpha^*}{c-d} ; \text{Forward Buy} = q^d - q^* \quad (\alpha^* = d = \text{discount cost/unit})$$